General Information

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

Category 4 Impairments that are not suitable for a TMDL or for which a TMDL has already been

Category 5 Impairments which may be suitable for development of a TMDL (303d List)

Explanation of Column Headings

SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be

> one of two types of numbers. The first type is a classified segment number (4 digits, e.g., 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, e.g., 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description

immediately follow SegID.

Area: Identifies the assessment unit (AU ID, e.g. 0101A 01) and describes the location of the specific

area in which one or more water quality standards are not met.

Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned

water quality standards.

Category: One of two categories assigned to each impaired parameter to provide information about water

> quality status and management activities on that water body. Both Category 4 and Category 5 are each divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories

are defined below:

Category 4: Standard is not supported or is threatened for one or more designated uses but does

not require the development of a TMDL.

Category 4a - All TMDLs have been completed and approved by EPA.

Category 4b - Other control requirements are reasonably expected to

result in the attainment of all standards.

Category 4c - Nonattainment is shown to be caused by pollution, not by pollutants

and that the water quality conditions cannot be changed by the allocation and control of pollutaints through the TMDL process.

Category 5: The water body does not meet applicable water quality standards or is threatened

for one or more designated uses by one or more pollutants.

Category 5a - TMDLs are underway, scheduled, or will be scheduled for one or

more parameters.

Category 5b - A review of the standards for one or more parameters will be

conducted bfroe a management strategy is selected, including a

possible revision to the water quality standards.

Category 5c - Additional data or information will be collected and/or evaluated for

one or more parameters before a management strategy is selected.

Some previously listed impairments did not have adequate data to re-assess in 2010 and were carried forward from 2008 and remain impaired.

February 13, 2013 Page 1 of 129

Carryforward:

SegID: 0101	Canadian River Below Lake Meredith From the Oklahoma State Line in Hemphill County to San	ford Dam in Hutchinson Co	ounty	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	5c	No	

SegID: 0101A	Dixon Creek (unclassified water body) From confluence of the Canadian River upstream to the con Dixon Creek	fluence of the East, Midd	le, and West Forks of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
selenium in wa	nter			
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	No	_

February 13, 2013 Page 2 of 129

SegID: 0102	Lake Meredith From Sanford Dam in Hutchinson County to a point imm Potter County, up to normal pool level of 2936.5 feet (imp		nfluence of Camp Creek in	
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
chloride				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in ed	lible tissue			
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	Yes	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolve	d solids			
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	

SegID: 0103	Canadian River Above Lake Meredith From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
chloride					
0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	5c	No		
0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	5c	No		
0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	5c	No		

February 13, 2013 Page 3 of 129

SegID: 0105	Rita Blanca Lake From Rita Blanca Dam in Hartley County up to normal pool	level of 3860 feet (impou	ınds Rita Blanca Creek)
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
pН			
0105_01	Entire water body	5c	No

SegID: 0201A	Mud Creek (unclassified water body) From the confluence of the Red River to the upstream perer Bowie County	nnial portion of the stream	northwest of De Kalb in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0201A_01 E	ntire water body	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dissolv	red oxygen		
0201A_01 E	ntire water body	5b	No

SegID: 0202	A Bois D' Arc Creek (unclassified water body) From the confluence of the Red River upstream to the head	waters northwest of White	wright in Grayson County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0202A_02	Appendix D, Perennial stream from the confluence with	5b	No	
	Sandy Creek upstream to the confluence with Pace			
	Creek			

SegID: 0202F	Choctaw Creek (unclassified water body) From the confluence with the Red River east of Denison to t of SH 56 and SH 289 in Grayson County	he upstream perennial po	ortion near the intersection
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek	5b	No
0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County	5b	No

SegID: 0202G	Smith Creek (unclassified water body) From the confluence with Pine Creek north of Paris to th Lamar County	e upstream portion of the strear	m in north Paris in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0202G_01	Entire water body	5b	No

February 13, 2013 Page 4 of 129

SegID: 0202K	Iron Ore Creek (unclassified water body) From the confluence with Choctaw Creek upstream to the	e headwaters near FM 120 we	st of Denison	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 0202K_01	Entire water body	5b	No	

SegID: 0205	Red River Below Pease River From the confluence of the Wichita River in Clay Councy	nty to the confluence of the Pea	ase River in Wilbarger	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River	5b	No	

SegID: 0206E	South Groesbeck Creek (unclassified water body) From the confluence of Groesbeck Creek NNW of Quantiles (12.6 Km) southwest of Childress	nah in Hardeman County to the t	upstream portion 7.8
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 0206B_01	Entire water body	5b	No

SegID: 0207	Lower Prairie Dog Town Fork Red River From a point immediately upstream of the confluence of E a point 100 meters (110 yards) upstream of the confluence		•	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0207_04	From the confluence with Battle Creek upstream to the confluence with Salt Fork in Armstrong County	5b	Yes	_

February 13, 2013 Page 5 of 129

SegID: 0211	Little Wichita River			
	From the confluence with the Red River in Clay County	to Lake Arrowhead Dam in (Clay County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5c	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	solved oxygen			
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5c	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved	Isolids			
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5c	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	No	

SegID: 0214	Wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay County to	Diversion Dam in Archer	County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0214_02	From an un-named tributary immediately upstream of	5c	No	
	FM 2393 upstream to the River Road WWTP			
0214_05	From the confluence with Beaver Creek upstream to the	5b	No	
	Diversion Lake Dam			

SegID: 0214	A Beaver Creek (unclassified water body) From the confluence of the Wichita River west of Wichita west of Crowell in Foard County	Falls in Wichita County ups	stream to the headwaters	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0214A_01	From the confluence with the Wichita River upstream	5b	No	
	to the confluence with Bull Creek			
0214A_02	From the confluence with Bull Creek upstream to the	5b	No	
	Santa Rosa Lake dam			

February 13, 2013 Page 6 of 129

SegID: 0214E	Buffalo Creek (unclassified water body) From the confluence of the Wichita River west of Wichita Faportion of the stream east of Electra in Wichita County	lls in Wichita County to t	the upstream perennial	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0214B_01	Entire water body	5b	No	

SegID: 0222	Salt Fork Red River From the Oklahoma State Line in Collingsworth Cou	nty to Greenbelt Dam in Donley C	ounty 'ounty	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0222_01	Oklahoma State Line to Lake Creek confluence	5c	No	

SegID: 0224	McClellan Creek (unclassified water body) From the confluence with the North Fork Red River ups Carson County	tream to the headwaters southw	west of Panhandle in	
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
bacteria 0224A_01	From the confluence with the North Fork Red River upstream to the Lake McClellan dam	5b	No	

SegID: 0229	Upper Prairie Dog Town Fork Red River From a point 100 meters (110 yards) upstream of the confi Lake Tanglewood Dam in Randall County	fluence of Salt Fork Creek in	n Armstrong County to	
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
pН				
0229_02	Palo Duro Canyon State Park upstream boundary to	5c	No	
	upper end of segment at Tanglewood Dam			

SegID: 0230A	Paradise Creek (unclassified water body) From the confluence with the Pease River east of Vernon to Foard County	the upstream perennial por	rtion near Thalia in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0230A_03 Lo	ower 5 miles of water body	5b	No

SegID: 0299A	Sweetwater Creek (unclassified water body) From the Oklahoma State Line in Wheeler County to the ups Wheeler in Wheeler County (tributary of North Fork Red Riv		of the stream northwest of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0299A_01	From Oklahoma State Line to confluence with Graham Creek	5b	No	

February 13, 2013 Page 7 of 129

SegID: 0302	Wright Patman Lake From Wright Patman Lake Dam in Bowie/Cass County to a Bassett Creek in Bowie/Cass County, up to the normal pool	•		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dis	olved oxygen			
0302_02	300 acres at International Paper intake	5c	No	
0302_10	4000 acres in upper portion of lake	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
pН				
0302_01	800 acres near dam	5b	No	
0302_02	300 acres at International Paper intake	5c	No	
0302_04	500 acres in the northeast corner of lake	5c	No	
0302_05	200 acres in the northwestern tip of lake	5c	No	
0302_06	Big Creek arm	5c	No	
0302_07	4000 acres mid-lake	5c	Yes	
0302_08	1600 acres in upper mid-lake	5c	Yes	

SegID: 0303I	White Oak Creek (unclassified water body) From the confluence of the Sulphur River north of Naples i	n Morris County to the ups	stream perennial portion	
	of the stream east of Sulphur Springs in Hopkins County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0303B_01	Portion of White Oak Creek from the confluence with	5b	No	
	the South Sulphur River approximately 40 km (25 mi)			
	upstream to the confluence with Lacy Creek.			
0303B_04	Portion of White Oak Creek from the confluence with	5b	No	
	the Stouts Creek approximately 46 km (28 mi) upstream			
	to Midget Creek.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0303B_01	Portion of White Oak Creek from the confluence with	5b	Yes	
	the South Sulphur River approximately 40 km (25 mi)			
	upstream to the confluence with Lacy Creek.			
0303B_02	Portion of White Oak Creek from the confluence with	5b	Yes	
	the Lacy Creek approximately 42 km (26 mi) upstream			
	to the confluence with Ripley Creek.			
0303B_03	Portion of White Oak Creek from the confluence with	5b	Yes	
	the Ripley Creek approximately 42 km (26 mi)			
	upstream to Stouts Creek.			
0303B_04	Portion of White Oak Creek from the confluence with	5b	No	
	the Stouts Creek approximately 46 km (28 mi) upstream			
	to Midget Creek.			

February 13, 2013 Page 8 of 129

SegID: 0304A	Swampoodle Creek (unclassified water body) From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired fish com	nmunity			
0304A_01 En	ntire water body	5b	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired macrobo	enthic community			
0304A_01 En	ntire water body	5b	Yes	

SegID: 0304B	Cowhorn Creek (unclassified water body) From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired fish com	nmunity			
0304B_01 Er	ntire water body	5b	No	
Parameter(s)		<u>Category</u>	Carryforward	
impaired macrob	enthic community			
0304B_01 Er	ntire water body	5b	No	

SegID: 0306	Upper South Sulphur River From a point 1.0 km (0.6 miles) upstream of SH 71 in Delt	a/Hopkins County to SH 7	8 in Fannin County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	5b	Yes	

SegID: 0307	Cooper Lake from Cooper Lake dam in Delta/Hopkins County to a posouth Sulphur River arm in Delta/Hopkins County and Creek on the Middle Sulphur River arm in Delta County (impounds the Middle Sulphur/South Sulphur River)	300 meters (330 yards) below	the confluence of Barnett	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0307_01	Lower 5000 acres near dam	5b	Yes	
0307_03	Middle 5000 acres	5b	Yes	
0307_04	Middle 2000 acre Johns Creek arm	5b	Yes	

February 13, 2013 Page 9 of 129

SegID: 0401 Caddo Lake From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)				
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dis	ssolved oxygen			
0401_02	Harrison Bayou arm	5c	No	
0401_03	Goose Prairie arm	5c	Yes	
0401_05	Clinton Lake	5c	No	
0401_07	Mid-lake near Uncertain	5c	No	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
mercury in e	dible tissue			
0401_01	Lower 5000 acres	5c	No	
0401_02	Harrison Bayou arm	5c	No	
0401_03	Goose Prairie arm	5c	No	
0401_05	Clinton Lake	5c	No	
0401_07	Mid-lake near Uncertain	5c	No	
0401_08		5c	No	
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
pН				
0401_03	Goose Prairie arm	5b	Yes	

SegID: 0401A	A Harrison Bayou (unclassified water body) From the confluence of Caddo Lake east of Karnack in Hatthe the stream east of Marshall in Harrison County	arrison County to the upstre	am perennial portion of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	solved oxygen			
0401A_01	From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998	5b	No	

February 13, 2013 Page 10 of 129

SegID: 0402	Big Cypress Creek Below Lake O' the Pines From a point 12.3 km (7.6 miles) downstream of SH 43 in I	Harrison/Marion County t	o Ferrell's Bridge Dam in	
	Marion County			
Parameter(s	2)	<u>Category</u>	<u>Carryforward</u>	
depressed dis	ssolved oxygen			
0402_02	From the confluence with Haggerty Creek upstream 25	5b	Yes	
	km (15.5 mi) to the confluence with Black Cypress			
	Bayou.			
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
mercury in e	dible tissue			
0402_01	From the confluence with Caddo Lake upstream 15 km	5c	No	
	(9 mi) to Haggerty Creek			
0402_02	From the confluence with Haggerty Creek upstream 25	5c	No	
	km (15.5 mi) to the confluence with Black Cypress			
	Bayou.			
0402_03	From the confluence with Black Cypress Bayou	5c	No	
	upstream 23.8 km (14.7 mi) to French Creek.			
0402_04	From the confluence with French Creek upstream 13	5c	No	
	km (8 mi) to Lake O' the Pines			
Parameter(s	<u></u>	<u>Category</u>	<u>Carryforward</u>	
pН				
0402_01	From the confluence with Caddo Lake upstream 15 km	5b	No	
	(9 mi) to Haggerty Creek			

SegID: 0402.	Parennial stream from the confluence with Big Cypress in Macass County.	Marion County up to 7.5 r	niles above FM 250 in	
Parameter(s)	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0402A_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Arbery Branch	5c	No	
Parameter(s)	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
copper in wat				
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dis.	- ssolved oxygen			
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak	5b	Yes	
	Creek			
0402A_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	5b	No	
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5b	Yes	
0402A_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Arbery Branch	5b	No	
0402A_05	From the confluence with Arbery Branch upstream 24 km (14.1 mi) to the headwaters near US 259	5b	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in ed	-		<u>-</u>	
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No	

February 13, 2013 Page 11 of 129

SegID: 0403	Lake O' the Pines From Ferrell's Bridge Dam in Marion County to a point 1.0 km Morris/Upshur County, up to normal pool elevation of 228.5 fe			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved 0403_04 Up	d oxygen per 3700 acres	4a	Yes	

SegID: 0404	Big Cypress Creek Below Lake Bob Sandlin From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5b	No	

SegID: 0404A	Ellison Creek Reservoir (unclassified water body) From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tis	ssue		
0404A_01 Er	ntire water body	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
toxicity in sedime	nt		
0404A_01 Er	ntire water body	5c	Yes

SegID: 0404I	Tankersley Creek (unclassified water body) Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0404B_01	From the confluence with Big Cypress Creek upstream	5b	No	
	16.1 km (10 mi) to Tankersley Lake. WQS Appendix			
	D portion of the creek.			

SegID: 04040	Hart Creek (unclassified water body) Perennial stream from the confluence with Big Cypress (Creek upstream to 0.2 km ups	tream of FM 1402	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0404C_01	Entire water body and WQS Appendix D portion of the water body.	5b	No	

February 13, 2013 Page 12 of 129

SegID: 0404N	Lake Daingerfield (unclassified water body) Southeast of the City of Daingerfield in Daingerfield State Park	in Morris County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
mercury in edible	tissue			
0404N_01 En	tire reservoir	5c	No	

SegID: 0405	Lake Cypress Springs From Franklin County Dam in Franklin County up to the norma Cypress Creek)	al pool elevation of 378	3 feet (impounds Big
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
pН			
0405_02	Upper 2600 acres	5e	No

SegID: 0406	Black Bayou From the Louisiana State Line in Cass County to FM 96	in Cass County		
Parameter(s)	<u></u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0406_01	Black Bayou from the LA state line upstream 19.1 km	5c	No	
	(11.8 mi) to the confluence with Hurricane Creek			
Parameter(s)	_	<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
0406_01	Black Bayou from the LA state line upstream 19.1 km	5b	No	
	(11.8 mi) to the confluence with Hurricane Creek			
0406_02	From the confluence with Hurricane Creek upstream	5b	No	
	28.6 km (17.7 mi) to NHD RC 11140304000881 near			
	FM 96			

SegID: 0407	James' Bayou From the Louisiana State Line in Marion County to Club L	ake Road northwest of Linc	den in Cass County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0407_02	From the confluence with Bear Creek upstream 29.8 km	5c	No	
	(18.5 mi) to approximately 2 km north of HWY 11			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to	5b	No	
	the confluence with Bear Creek.			
0407_02	From the confluence with Bear Creek upstream 29.8 km	5b	No	
	(18.5 mi) to approximately 2 km north of HWY 11			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to	5b	No	
	the confluence with Bear Creek.			

February 13, 2013 Page 13 of 129

SegID: 0409	Little Cypress Bayou (Creek) From the confluence of Big Cypress Creek in Harrison/Ma of FM 2088 in Wood County	rion County to a point 1.0 k	rm (0.6 miles) upstream	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	No	
0409_04	From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	5b	Yes	
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5b	No	

SegID: 0409B	South Lilly Creek (unclassified water body) From the confluence of Lilly Creek to approximately 2 mile	es west of FM 1647		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 0409B_01	Entire water body	5c	No	

SegID: 0501	Sabine River Tidal From the confluence with Sabine Lake in Orange County to	West Bluff in Orange Co	ounty	
<u>Parameter(s</u>	<u>v)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0501_01	Lower 10 miles of segment from the confluence of	5c	No	
	Sabine Lake upstream to confluence with Adams Bayou			
Parameter(s	ਪੁ ਹ	<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	ole tissue			
0501_01	Lower 10 miles of segment from the confluence of	5c	No	
	Sabine Lake upstream to confluence with Adams Bayou			
0501_02	Upper 14 miles of segment from the confluence of	5c	No	
	Adams Bayou upstream to Little Cypress Bayou			
0501_03	Upper 14 miles of segment from the confluence of	5c	No	
	Little Cypress Bayou upstream to confluence with Old			
	River			

February 13, 2013 Page 14 of 129

SegID: 0501	B Little Cypress Bayou (unclassified water body)					
	From the confluence with the Sabine River to the headwater	s west of Reese in Orang	e County.			
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria						
0501B_01	Lower 4.2 miles of bayou	5b	Yes			
$0501B_02$	0.3 mile upstream to 0.5 mile downstream of Bear Path	5b	Yes			
	Road					
0501B_03	Upper 3.2 miles of bayou	5b	Yes			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>			
depressed dis	solved oxygen					
0501B_01	Lower 4.2 miles of bayou	5c	No			
0501B_02	0.3 mile upstream to 0.5 mile downstream of Bear Path	5c	No			
	Road					
0501B_03	Upper 3.2 miles of bayou	5c	No			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>			
toxicity in wa	ter					
0501B_01	Lower 4.2 miles of bayou	5c	Yes			
0501B_02	0.3 mile upstream to 0.5 mile downstream of Bear Path	5c	Yes			
	Road					
0501B_03	Upper 3.2 miles of bayou	5c	Yes			

SegID: 0502A	Nichols Creek (unclassified water body) From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0502A_01 Lo	ower 25 miles of creek	5c	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolve	ed oxygen			
0502A_01 Lo	ower 25 miles of creek	5c	Yes	

SegID: 0502E	Caney Creek (unclassified water body) Perennial stream from the Sabine River upstream to the co	onfluence with Martin Branc	h	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0502B_02	From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch	5b	Yes	

SegID: 0502E	Cypress Creek (unclassified water body) From the confluence of Sabine River upstream to headwaters	2.5 miles northeast of Br	una in Jasper County
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissol	ved oxygen		
0502E_01 I	Entire water body	5b	No

February 13, 2013 Page 15 of 129

SegID: 0504	Toledo Bend Reservoir From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)				
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in e	dible tissue				
0504_01	Lowermost 5200 acres of reservoir, adjacent to dam,	5c	Yes		
	including Indian Creek arm				
0504_02	Six Mile Boat Lane arm	5c	Yes		
0504_03	Sunshine Bay arm	5c	Yes		
0504_04	Near SH 21	5c	Yes		
0504_05	Patroon Bayou Branch arm	5c	Yes		
0504_06	Tenaha Creek arm	5c	Yes		
0504_07	Uppermost 5120 acres of reservoir	5c	Yes		
0504_08	Negreet Bayou arm	5c	Yes		
0504_09	San Miguel arm	5c	Yes		
0504_10	San Patricia arm	5c	Yes		
0504_11	Toledo Bend reservoir near Buzzard Bend	5c	Yes		
0504_12	Remainder of reservoir	5c	Yes		

SegID: 0504E	Clear Lake (unclassified water body) Oxbow lake 12 miles northwest of Logansport, LA			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
mercury in edil	ble tissue			
0504E_01	Oxbow lake 12 miles northwest of Logansport, LA	5c	Yes	

SegID: 0505	Sabine River Above Toledo Bend Reservoir From a point immediately upstream of the confluence of (110 yards) downstream of US 271 in Gregg County	Murvaul Creek in Panola Cou	unty to a point 100 meters	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0505_04	Sabine River from Hatley Creek upstream to Grace Creek in Gregg County	5a	No	

SegID: 05051	regID: 0505B Grace Creek (unclassified water body) Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County				
<u>Parameter(s)</u>		<u>Category</u> <u>Carryforward</u>			
bacteria					
0505B_02	Remainder of segment in the City of Longview upstream to headwaters	5b No			
Parameter(s)	_	<u>Category</u> <u>Carryforward</u>			
depressed dis	solved oxygen				
0505B_02	Remainder of segment in the City of Longview upstream to headwaters	5c Yes			

February 13, 2013 Page 16 of 129

SegID: 0505G	Wards Creek (unclassified water body) From the confluence with Hatley Creek to the headwaters east	of Hallsville in Harriso	on County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen					
0505G_01 E	ntire segment	5c	Yes		

SegID: 0505O	Hills Lake (unclassified water body) Oxbow lake 13 miles east of Carthage		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
mercury in edibl	e tissue		
0505O_01 E	ntire segment	5c	Yes

SegID: 0506A	Harris Creek (unclassified water body) From the confluence of the Sabine River northeast of Winona is portion of the stream east of Tyler in Smith County	n Smith County to the	upstream perennial	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved 0506A_01 Ent	d oxygen ire segment	5b	Yes	

SegID: 0507	Lake Tawakoni From Iron Bridge Dam in Rains County up to normal pool	elevation of 437 feet (impo	unds Sabine River)	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
pH 0507_04	Cowleech Fork of Sabine River arm	5c	No	

SegID: 0507G	South Fork of Sabine River (unclassified water body) From the confluence with Lake Tawakoni upstream to the confluen	ce with Klutts and S	abine Creeks
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0507G_01 I	Entire segment	5c	No

February 13, 2013 Page 17 of 129

SegID: 050	8 Adams Bayou Tidal From the confluence with the Sabine River in C Orange County	Orange County to a point 1.1 km (0.7 m	iles) upstream of IH 10 in
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0508_01	Lower 3 miles of segment	4a	No
0508_02	2 mile reach near Western Avenue	4a	Yes
0508_03	1 mile reach near Green Avenue	4a	Yes
0508_04	Upper 2 miles of segment	4a	Yes
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	issolved oxygen		
0508_01	Lower 3 miles of segment	4a	Yes
0508_02	2 mile reach near Western Avenue	4a	Yes
0508_03	1 mile reach near Green Avenue	4a	Yes
0508_04	Upper 2 miles of segment	4a	Yes

SegID: 0508A	Adams Bayou Above Tidal (unclassified water body) From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange Costream northwest of Orange in Orange Count	unty to the upstrean	n perennial portion of the
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolve 0508A 01 En	ed oxygen ntire bayou above tidal	4a	Yes
030071_01 En	the ouyou doove tidal	ıu	1 03

SegID: 0508B	Gum Gully (unclassified water body) From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria 0508B_01 E	ntire creek	4a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolv 0508B_01 E	red oxygen ntire creek	4a	Yes		

SegID: 0508C	Hudson Gully (unclassified water body) From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 0508C_01	Entire creek	4a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed disso 0508C_01	olved oxygen Entire creek	4a	Yes		

February 13, 2013 Page 18 of 129

SegID: 0511	Cow Bayou Tidal From the confluence with the Sabine River in Orange Co Orange County	ounty to a point 4.8 km (3.0 r	niles) upstream of IH 10 in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0511_01	Lower 5 miles	4a	No	
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes	
0511_04	Upper 4 miles	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes	
0511_04	Upper 4 miles	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes	
0511_04	Upper 4 miles	4a	Yes	

SegID: 0511A	Cow Bayou Above Tidal (unclassified water body) From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange stream northeast of Vidor in Orange County	County to the upstream	perennial portion of the
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolve	ed oxygen		
0511A_02 Up	oper 5.3 miles of above-tidal reach	4a	Yes

SegID: 0511B	Coon Bayou (unclassified water body) From the confluence with Cow Bayou up to the extent of tidal limit in Orange County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
0511B_01 E	ntire tidal reach	4a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolv	ed oxygen				
0511B_01 E	ntire tidal reach	4a	Yes		

SegID: 0511C	Cole Creek (unclassified water body) From the confluence of Cow Bayou west of Orange in Orange Costream south of Mauriceville in Orange Count	County to the upstream	m perennial portion of the
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
depressed dissolved 0511C_01 Ent	d oxygen ire tidal reach	4a	Yes

SegID: 0511E	Terry Gully (unclassified water body) From the confluence with Cow Bayou in Orange County to the County	e headwaters northeast of	of Vidor in Orange
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 0511E_01	Entire creek	4a	Yes

February 13, 2013 Page 19 of 129

SegID: 0512A	Running Creek (unclassified water body) From the confluence with Lake Fork Reservoir to the headway County	ters southeast of Martin	Springs in Hopkins	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0512A_01	Entire creek	5b	No	

SegID: 0512B	Elm Creek (unclassified water body) From the confluence with Lake Fork Reservoir in Rains Cou Hopkins County	nty to the headwaters no	rthwest of Shirley in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0512B_01	Entire creek	5b	Yes

SegID: 0514	Big Sandy Creek From the confluence with the Sabine River in Upshur Count in Hopkins County	y to a point 2.6 km (1.6 m	iles) upstream of SH 11	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0514_01	From confluence with Sabine River to just upstream of	5c	No	
	FM 49			
0514_02	From just upstream of FM 49 to upper end of segment	5c	No	

SegID: 0601	Neches River Tidal From the confluence with the Sabine Lake in Orange Count in Orange County	y to a point 11.3 km (7.0)	miles) upstream of IH 10	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No	
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No	
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No	
Parameter(s)	<u>)</u>	Category	<u>Carryforward</u>	
PCBs in edib	le tissue			
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	No	
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No	
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No	
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No	

February 13, 2013 Page 20 of 129

SegID: 0601A	Star Lake Canal (unclassified water body) North of Groves in Jefferson County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0601A_01	Entire water body	5c	No	

SegID: 0602	Neches River Below B. A. Steinhagen Lake From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the con Town Bluff Dam in Jasper/Tyler County	fluence of Pine Island Bay	ou, Orange County to	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in edible tissue				
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No	
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No	
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No	

SegID: 0603	B. A. Steinhagen Lake From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)				
Parameter(s	<u>*)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in e	dible tissue				
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	5c	No		
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No		

SegID: 0603A	Sandy Creek in Jasper County (unclassified water body From the confluence of B.A. Steinhagen Lake southwest of Big and Little Sandy Creeks in City of Jasper in Jasper Co	of City of Jasper in Jasper Cou	unty to the confluence of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0603A_01	From the confluence with B.A. Steinhagen Lake	5c	No	
	upstream to confluence with Little Sandy Creek about			
	0.5 km downstream of Hwy 776, per WQS App. D			

February 13, 2013 Page 21 of 129

SegID: 0603I	Wolf Creek (unclassified water body) From the confluence of B. A. Steinhagen Lake southeast o perennial portion of the stream south of Colmesneil in Tyle		nty to the upstream	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0603B_01	From the confluence of B.A. Steinhagen Lake upstream to the Lake Amanda dam.	5c	No	

SegID: 0604	Neches River Below Lake Palestine From a point immediately upstream of the confluence of Ho Blackburn Crossing Dam in Anderson/Cherokee County	pson Mill Creek in Jasper	r/Tyler County to	
<u>Parameter(s</u>	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
mercury in e	dible tissue			
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No	
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No	
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No	

SegID: 0604A	A Cedar Creek (unclassified water body) From the confluence of the Neches River southwest of Lufk portion of the stream in Lufkin in Angelina County	in in Angelina County to	the upstream perennial	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	5b	No	

SegID: 0604F	Hurricane Creek (unclassified water body) Perennial stream from the confluence with Cedar Creek to meters upstream of SH Loop 287 in Lufkin	the confluence of two unna	amed tributaries 100	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	5b	No	

February 13, 2013 Page 22 of 129

SegID: 0604	Jack Creek (unclassified water body) From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County				
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	5b	No		

SegID: 06041	Piney Creek (unclassified water body) From the confluence of the Neches River at the Polk/Tyler/a upstream perennial portion of the stream east of Crockett in	2	st of Corrigan to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	solved oxygen		
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	5c	No

SegID: 06041	A Biloxi Creek (unclassified water body) From the confluence with the Neches River southeast of	Diboll to FM 325 east of Lufk	in in Angelina County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0604M_02	From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	5b	No
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5b	No
Parameter(s)		<u>Category</u>	Carryforward
depressed diss	olved oxygen		
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5c	Yes

SegID: 0604T	Lake Ratcliff (unclassified water body) Lake in Houston County 3.4 miles northeast of Kennard	
Parameter(s)	<u>Category</u> <u>Carryforward</u>	
mercury in edible to 0604T_01 Ent	tissue tire lake 5c No	

February 13, 2013 Page 23 of 129

SegID: 0605	Lake Palestine From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
pН					
0605_03	Upper mid-lake including Tyler Public Water Supply	5a	No		
	intake				
0605_09	Flat Creek Arm	5a	No		
0605_10	Upper Lake	5a	No		
0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm	5a	No		
	and across the main portion of the lake at the Flat Creek				
	Arm				

SegID: 0605A	Kickapoo Creek in Henderson County (unclassified water body) From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria 0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5b	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	olved oxygen				
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	No		

SegID: 0606	Neches River Above Lake Palestine Neches River Above Lake Palestine - from a point 2.2 kilometers (1.4 miles) downstream of SH 31 [6.7 kilometers (4.2 miles) downstream of FM 279] in Henderson/Smith County to Rhines Lake Dam in Van Zandt County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
0606_01	From a point approximately 0.06km (0.03 mi) south of	5b	No		
	St. Louis Southwestern Railroad upstream to the				
	confluence with Prairie Creek (0606A).				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	olved oxygen				
0606_02	From the confluence with Prairie Creek (0606A)	5c	No		
	upstream to the Rhines Lake Dam				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
pН					
0606_02	From the confluence with Prairie Creek (0606A)	5b	No		
	upstream to the Rhines Lake Dam				

February 13, 2013 Page 24 of 129

SegID: 0606	A Prairie Creek (unclassified water body) Perennial stream from the confluence with the Neches Rivedownstream of the US 69 bridge crossing.	er to an unnamed tributary	approximately 0.6km	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071.	5b	No	
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	5b	No	

SegID: 0606	D Black Fork Creek (unclassified water body) Perennial stream from the confluence with Prairie Creek to	a point 0.4 km downstrea	m of FM 14 in Tyler
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with	5c	No
	unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.		

SegID: 0607	Pine Island Bayou From the confluence with the Neches River in Hardin/Jef	ferson County to FM 787 in I	Hardin County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed disso	olved oxygen			
0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	5b	No	
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	5b	No	
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5b	No	
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	5b	Yes	

February 13, 2013 Page 25 of 129

SegID:	0607A	Boggy Creek (unclassified water body)
Begin.	00077	boggy creek (unclassified water body)

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Parameter(s	<u>·)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dis	ssolved oxygen		
0607A_02	From the confluence with unnamed tributary 0.39 km	5b	No
	downstream of CR 421 upstream to confluence with		
	unnamed tributary 4 km downstream of the crossing of		
	the Southern Pacific Railroad, per WQS App. D, at		
	NHD RC 12020007003034.		

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
0607B_01	From the confluence with Pine Island Bayou (0607) at	5b	No
	the Hardin/Jefferson Counties border upstream to		
	unnamed tributary 1.1 km SE of intersection of FM 770		
	and FM 787 at NHD RC 12020007000021, same		
	tributary as Big Thicket National Park boundary.		

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Parameter(.	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
0607C_01	From the confluence with Pine Island Bayou (0607) at	5b	No
	the State Hwy 326 bridge at NHD RC 12020007000258		
	upstream to headwaters NE of Devers in Liberty		
	County at NHD RC 12020007000200		

SegID: 0608 Village Creek From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County Parameter(s) <u>Category</u> Carryforward mercury in edible tissue 0608 01 From the confluence with Neches River (0602) No upstream to confluence with Cypress Creek (0608C) 0608_02 From the confluence with Cypress Creek (0608C) No 5c upstream to confluence with Beech Creek (0608A) 0608_03 From the confluence with Beech Creek (0608A) 5c No upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County

February 13, 2013 Page 26 of 129

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Parameter(s) <u>Category</u> <u>Carryforward</u>

bacteria

0608B 04 From the confluence with Bear Creek in Polk County 5b No

upstream to headwaters about 5 km SE of intersection

of US Hwy 59 and FM 62 at NHD RC $\,$

12020006000133.

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad

Luck Creek northwest of Kountze in Hardin County

Parameter(s) <u>Category Carryforward</u>

depressed dissolved oxygen

0608C_01 Upper portion from the confluence with unnamed 5b No

tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at

NHD RC 12020006000148.

SegID: 0608E Mill Creek in Hardin County (unclassified water body)

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters

northwest of Silsbee in Hardin County

Parameter(s) Category Carryforward

depressed dissolved oxygen

0608E 01 Entire water body 5c Yes

SegID: 0608F Turkey Creek (unclassified water body)

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of

Woodville

Parameter(s) <u>Category</u> <u>Carryforward</u>

bacteria

0608F 02 From the confluence with Big Cypress Creek in Tyler 5b No

County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville,

per WQS App. D, at NHD RC 12020006000057

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County

(impounds Kimble and Village Creeks)

Parameter(s) Category Carryforward

mercury in edible tissue

0608G_01 Entire lake 5c No

February 13, 2013 Page 27 of 129

SegID: 0610	Sam Rayburn Reservoir From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool					
Parameter(s)	elevation of 164 feet (except on the Angelina River Arm) (impounds Angelina River a Category	and Attoyac Bayou) Carryforward			
mercury in ed	ible tissue	<u>Curegory</u>	<u>Carryjorwara</u>			
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No			
0610_02	Sam Rayburn lower Angelina River arm	5c	No			
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No			
0610_04	Sam Rayburn upper mid-Angelina River arm	5c	No			
0610_05	Sam Rayburn lower Attoyac Bayou arm	5c	No			
0610_06	Sam Rayburn upper Attoyac Bayou arm	5c	No			
0610_07	Sam Rayburn upper Angelina arm	5c	No			
0610_08	Sam Rayburn Bear Creek arm	5c	No			
0610_09	Sam Rayburn lower Ayish Bayou arm	5c	No			
0610_10	Sam Rayburn upper Ayish Bayou arm	5c	No			

SegID: 0610A	Ayish Bayou (unclassified water body) Perennial stream from the headwaters of Sam Rayburn Research approximately 0.1km upstream of FM 1279 near the City of	*	ding Bland Lake	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	5b	No	
0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	5b	No	

SegID: 0611	Angelina River Above Sam Rayburn Reservoir From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
bacteria						
0611_03	From a point immediately upstream of the confluence	5c	No			
	with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)					
0611_04	From a point immediately upstream of confluence with	5c	No			
	East Fork Angelina River (0611A) upstream to					
	confluence with Barnhardt and Mill Creeks.					

February 13, 2013 Page 28 of 129

SegID: 0611A East Fork Angelina River (unclassified water body) From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0611A_01	From the confluence with Angelina River (0611) at	5b	No	
	Rusk/Nacogdoches county line upstream to confluence			
	with Beech Creek (0611J) in Rusk County			

SegID: 0611	La Nana Bayou (unclassified water body) From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria	From the confluence with Angeline Diver (0611) nor	5 h	No	
0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	5b	INO	
0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	5b	No	

SegID: 0611C	Mud Creek (unclassified water body) Perennial stream from the confluence with the Angelina Riv confluence of Prairie Creek in Smith County	er upstream to a point imm	nediately upstream of the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	5b	No

SegID: 0611	D West Mud Creek (unclassified water body) Perennial stream from the confluence with Mud Creek in Ch tributary 300 meters upstream of the most northern crossing intersection of Loop 323) in the City of Tyler, per WQS App	of US 69 (approximately		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	5b	No	
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	5b	No	

February 13, 2013 Page 29 of 129

SegID: 0612	Attoyac Bayou From a point 3.9 km (2.4 miles) downstream of Curry Cree in Rusk County	k in Nacogdoches/San Au	gustine County to FM 95	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0612_01	From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	5b	No	
0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	5b	No	
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	5b	No	

SegID: 0615	Angelina River/Sam Rayburn Reservoir The riverine portion of Sam Rayburn Reservoir from a point Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstr	•	/ *
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dissol	lved oxygen		
0615_01	Entire water body	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired fish co	ommunity		
0615_01	Entire water body	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edib	ole tissue		
0615_01	Entire water body	5c	No

SegID: 0615A	Paper Mill Creek (unclassified water body) From the confluence with Angelina River/Sam Rayburn Creek (0615B)	Reservoir (0615) upstream to	confluence with Mill	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	5c	No	

SegID: 070	Taylor Bayou/North Fork Taylor Bayou Above Tidal From the saltwater lock 7.7 km (4.8 miles) downstream of S Valley Authority Canal in Jefferson County	H 73 in Jefferson County	to the Lower Neches	
Parameter(<u>(2)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed d 0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).	5b	No	
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.	5b	No	

February 13, 2013 Page 30 of 129

SegID: 0702	Intracoastal Waterway Tidal From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0702_01	From the confluence with Sabine-Neches Canal Tidal	5c	No	
	(0703) to eastern most boundary of East Bay			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	le tissue			
0702_03	From the eastern most boundary of East Bay to Port	5a	No	
	Bolivar			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible	e tissue			
0702_03	From the eastern most boundary of East Bay to Port	5a	No	
	Bolivar			

SegID: 0702	A Alligator Bayou and Main Canals A, B, C, and D (unclass All perennial canals in Jefferson County Drainage District Taylor Bayou at the pump house gate, including Alligator E	No. 7 that eventually drain	into the tidal portion of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
toxicity in sed	liment			
0702A_01	From Taylor Bayou Tidal (0702) to confluence with	5c	Yes	
	Main Canal D above SH 82.			
Parameter(s)	_	<u>Category</u>	<u>Carryforward</u>	
toxicity in wa	ter			
0702A_02	Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into	5c	Yes	
	Alligator Bayou			
0702A_03	Main Canal D from the confluence with Alligator	5c	Yes	
	Bayou at SH 82 upstream to about 0.35 km upstream of			
	confluence with Canal A			

SegID: 0704	Hillebrandt Bayou From the confluence of Taylor Bayou in Jefferson County 124 in Jefferson County	to a point 100 meters (110	yards) upstream of SH	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0704_02	From the confluence with Willow Marsh Bayou	5c	No	
	(0704A) upstream to a point 100 meters (110 yards)			
	upstream of SH 124 in Jefferson County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
0704_01	From the confluence with Taylor Bayou Above Tidal	5b	Yes	
	(0701) upstream to confluence with Willow Marsh			
	Bayou (0704A)			

February 13, 2013 Page 31 of 129

SegID: 0801C	Cotton Bayou (unclassified water body) From the confluence of Cotton Lake southeast of Mont Belvi RC 12040203000496) approximately 1 mile north of IH 10 in	•	upstream to a point (NHD	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0801C_01	Entire Segment	5c	No	

SegID: 0803	Lake Livingston From Livingston Dam in Polk/San Jacinto County to a poin Houston/Leon County, up to normal pool elevation of 131	· · · · · · · · · · · · · · · · · · ·		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pH 0803_01	Lowermost portion of reservoir, adjacent to dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0803_01	Lowermost portion of reservoir, adjacent to dam	5b	No	
0803_02	Lower portion of reservoir, East Wolf Creek	5b	No	
0803_03	Lower portion of reservoir, East Willow Springs	5b	No	
0803_04	Middle portion of reservoir, East Pointblank	5b	No	
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	5b	No	
0803_06	Middle portion of reservoir, centering on US 190	5b	No	
0803_07	Upper portion of reservoir, west of Carlisle	5b	No	
0803_08	Cove off upper portion of reservoir, East Trinity	5b	No	
0803_09	West Carolina Creek cove, off upper portion of reservoir	5b	No	
0803 10	Upper portion of reservoir, centering on SH 19	5b	No	
0803 11	Riverine portion of reservoir, centering on SH 21	5b	No	
0803_12	Remainder of reservoir	5b	No	

SegID: 0803G	Lake Madisonville (unclassified water body) From Lake Madisonville Dam in Madison County up to the norm Branch)	nal pool elevation of	285 feet (impounds Town
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
mercury in edible t 0803G_01 Ent	issue ire water body	5c	Yes

SegID: 0804	Trinity River Above Lake Livingston From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County			
Parameter(s)	<u>)</u>	<u>Category</u> <u>Carryforward</u>		
dioxin in edib	ole tissue			
0804_07	From just above the confluence with Richland Creek in	5a No		
	Henderson County, up to the upper end of the segment.			
Parameter(s)	<u>)</u>	<u>Category</u> <u>Carryforward</u>		
PCBs in edibl	le tissue			
0804_07	From just above the confluence with Richland Creek in	5a No		
	Henderson County, up to the upper end of the segment.			

February 13, 2013 Page 32 of 129

SegID: 0804G	Catfish Creek (unclassified water body) Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0804G_01 Er	ntire Segment	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolve 0804G_01 Er	ed oxygen ntire Segment	5b	No	

SegID: 0804H	Upper Keechi Creek (unclassified water body) From confluence with segment 0804 Trinity River to the up RC 12030201001075)	oper end of NHD stream U	pper Keechi Creek (NHD	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed disse	olved oxygen			
0804H_01	From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	5b	No	

February 13, 2013 Page 33 of 129

				\neg	
SegID: 0805	Upper Trinity River From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria					
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	4a	No		
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	-	
dioxin in edib	le tissue				
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes		
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes		
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes		
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes		
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_	
PCBs in edible	e tissue				
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes		
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes		
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes		
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes		
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes		

SegID: 0806	West Fork Trinity River Below Lake Worth From a point immediately upstream of the confluence in Tarrant County	e of Village Creek in Tarrant County to Lake Worth Dam
Parameter(s)		<u>Category</u> <u>Carryforward</u>
dioxin in edib	le tissue	
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a Yes
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a No
Parameter(s)		<u>Category</u> <u>Carryforward</u>
PCBs in edible	e tissue	
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a Yes
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a No

February 13, 2013 Page 34 of 129

SegID: 0806A	Fosdic Lake (unclassified water body) From Fosdic Lake Dam to the reservoir headwaters in Oakland L	ake Park in Tarrant (County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tiss	ue		
0806A_01 Ent	tire lake	4a	Yes

SegID: 0806B	Echo Lake (unclassified water body) From Echo Lake Dam to the reservoirs headwaters in Tarrant Cou	unty		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tiss	ue			
0806B_01 Ent	tire lake	4a	Yes	

SegID: 0806	Sycamore Creek (unclassified water body) Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.			
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0806E_01	Five mile stretch of Sycamore Creek running upstream	5b	No	
	from confluence with the W. Fork of Trinity River to			
	confluence with Echo Lake Tributary in Fort Worth			

SegID: 0807	Lake Worth From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
aldrin in fish tiss 0807_01 H	sue Entire reservoir	4b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dieldrin in edible	e tissue			
0807_01 H	Entire reservoir	4b	No	
Parameter(s)		<u>Category</u>	Carryforward	
PCBs in edible to 0807_01	issue Entire reservoir	4a	No	

SegID: 0808	West Fork Trinity River Below Eagle Mountain Reservoir From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
aldrin in fish tissu	ie			
0808_01 Er	ntire segment	4b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dieldrin in edible	tissue			
0808_01 Er	ntire segment	4b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tis	ssue			
0808_01 Er	ntire segment	5a	No	

February 13, 2013 Page 35 of 129

SegID: 0810	West Fork Trinity River Below Bridgeport Reservoir From a point 0.6 km (0.4 miles) downstream of the conflue Dam in Wise County	nce of Oates Branch in Wise	e County to Bridgeport	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 0810_01	Lower 25 miles of segment	5b	No	

SegID: 0810	Big Sandy Creek (unclassified water body) Fifteen mile stretch of Big Sandy Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 0810A_01	Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of	5b	No	
	Alvord, Wise Co.			

SegID: 0810E	Garrett Creek (unclassified water body) Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0810B_01	Eighteen mile stretch of Garrett Creek running upstream	5b	No	
	from confluence with Salt Creek to Wise County Road			
	approximately 14 miles upstream of SH114, Wise Co.			

SegID: 0810C	Martin Branch (unclassified water body) The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0810C_01 E	ight mile stretch of Martin Branch running upstream	5b	No	
fr	om confluence with Center Creek to FM 730 south of			
D	ecatur, Wise County.			

SegID: 0812	West Fork Trinity River Above Bridgeport Reservoir From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen					
0812_01	Lower 25 miles of segment	5c	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
total dissolved solids					
0812_01	Lower 25 miles of segment	5b	No		
0812_02	Upper 60 miles of segment	5b	No		

February 13, 2013 Page 36 of 129

SegID: 0818	Cedar Creek Reservoir From Joe B. Hoggsett Dam in Henderson County up to norma Creek)	l pool elevation of 322	feet (impounds Cedar	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
pН				
0818_01	Lowermost portion of the reservoir, adjacent to the	5c	No	
	dam.			
0818_02	Caney Creek cove	5c	Yes	
0818_03	Clear Creek cove	5e	Yes	
0818_04	Lower portion of reservoir east of Key Ranch Estates	5c	No	
0818 05	Cove off lower portion of reservoir adjacent to	5c	Yes	
	Clearview Estates			
0818_06	Middle portion of reservoir downstream of Twin Creeks	5c	No	
	cove			
0818_07	Twin Creeks cove	5c	Yes	
0818_08	Prairie Creek cove	5c	No	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	5c	No	
0818_11	Upper portion of reservoir east of Tolosa	5c	No	
0818 12	Uppermost portion of reservoir downstream of Kings	5c	No	ļ
_	Creek			

SegID: 0819	East Fork Trinity River From the confluence with the Trinity River in Kaufman Co	ounty to Rockwall-Forney I	Dam in Kaufman County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chloride 0819_01	Entire segment	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
sulfate 0819_01	Entire segment	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
total dissolved	solids		
0819_01	Entire segment	5c	No

SegID: 0821C	Wilson Creek (unclassified water body) From the confluence with Lake Lavon in Collin County u east of Celina, Collin Co., TX.	p to West FM 455 (NHD RC	12030106000086), just
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0821C_01	Entire water body	5c	No

SegID: 0821D		rending from the confluence with Lake Lavor	n (segment 0821) to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 0821D_01	Entire water body	5c	No

February 13, 2013 Page 37 of 129

SegID: 0822	2A Cottonwood Branch (unclassified water body) A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
0822A_02	A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	4a	No		

SegID: 0822B	Grapevine Creek (unclassified water body) From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County
Parameter(s)	<u>Category</u> <u>Carryforward</u>
bacteria 0822B_01	Entire water body 4a No

SegID: 0826	Grapevine Lake From Grapevine Dam in Tarrant County up to normal poor	ol elevation of 535 feet (impor	unds Denton Creek)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
pН				
0826_07	Upper portion of reservoir east of Marshall Creek Park	5c	No	

SegID: 0828A	Village Creek (unclassified water body) From the confluence with Lake Arlington in Tarrant County County	to the headwaters east of	Joshua in Johnson	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 0828A_01	From Lake Arlington to the headwaters	5c	No	

egID: 0829	9 Clear Fork Trinity River Below Benbrook Lake From the confluence with the West Fork Trinity River in Tai	rrant County to Benbrool	k Dam in Tarrant County
Parameter(s	7)	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	5a	No
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	Yes
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes
Parameter(s	<u>√</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	ole tissue		
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	5a	Yes
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	Yes
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes

February 13, 2013 Page 38 of 129

SegID: 0831	Clear Fork Trinity River Below Lake Weatherford From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County					
<u>Parameter(s</u>	<u>*)</u>	<u>Category</u>	<u>Carryforward</u>			
depressed dis	depressed dissolved oxygen					
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence	5c	Yes			
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam	5b	Yes			
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam	5c	Yes			

SegID: 083	O833 Clear Fork Trinity River Above Lake Weatherford From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County					
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>			
depressed di	depressed dissolved oxygen					
0833_02	Upper 11 miles of segment	5c	Yes			
0833_03	From the confluence of McKnight Branch to the confluence of Cottonwood Ck.	5b	Yes			
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch	5c	Yes			

SegID: 0836B	Cedar Creek (unclassified water body) From the confluence with Richland Chambers Reservoir to the 12030109012807)	upper end of the creek	(NHD RC	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dissolve 0836B_01 En	d oxygen tire segment.	5b	Yes	

SegID: 0838C	Walnut Creek (unclassified water body) A 7 mile stretch of Walnut Creek running upstream from Holland Road, to conf NW Mansfield, Tarrant County.	fluence with	n Willow Branch,
<u>Parameter(s)</u>	<u>Category</u>	<u>C</u>	<u>Carryforward</u>
bacteria			
0838C_01 E	Entire segment. 5b		No

February 13, 2013 Page 39 of 129

SegID: 0841	Lower West Fork Trinity River From a point immediately upstream of the confluence of the immediately upstream of the confluence of Village Creek	~	Dallas County to a point
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek	5a	No
0841_02	From the confluence with Johnson Creek upstream to	5a	No
	the confluence of Village Creek		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to	5a	Yes
	the confluence of Village Creek		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek	5a	Yes

SegID: 0841A	Mountain Creek Lake (unclassified water body) From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
heptachlor epoxide	heptachlor epoxide in edible tissue				
0841A_01 En	tire reservoir	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tiss	sue				
0841A_01 En	tire reservoir	4a	No		

SegID: 0841F	Cottonwood Creek (unclassified water body) A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.
<u>Parameter(s)</u>	<u>Category</u> <u>Carryforward</u>
bacteria	
0841F_01	Entire segment. 5a No

SegID: 0841G	Dalworth Creek (unclassified water body) From confluence with Lower W. Fork Trinity to headwaters area just west of 22nd Street NW in Grand Prairie, Dallas Co.	
Parameter(s)	<u>S)</u> <u>Category</u> <u>Carryforward</u>	_
bacteria 0841G_01	Entire segment. 5a No	

February 13, 2013 Page 40 of 129

SegID: 0841H Delaware Creek (unclassified water body)

From confluence with Lower W. Fork Trinity to Finley Road in Irving.

Parameter(s) **Category Carryforward**

bacteria

0841H 01 Entire segment. 5a No

SegID: 0841J **Estelle Creek (unclassified water body)**

From confluence with Bear Creek upstream to Valley View Lane in Irving, Dallas County.

Parameter(s) Carryforward <u>Category</u>

bacteria

0841J 01 Entire segment. 5a No

SegID: 0841K Fish Creek (unclassified water body)

From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road

(NHD RC 12030102000107) in Arlington, Tarrant Co. Co.

Carryforward Parameter(s) Category

bacteria

0841K 01 Entire segment. 5b No

SegID: 0841L Johnson Creek (unclassified water body)

From confluence with the Lower West Fork Trinity River upstream to just south of Mayfield Road in

Arlington, Tarrant Co.

Parameter(s) Category Carryforward

bacteria

0841L 01 Entire segment. 5a No

SegID: 0841M **Kee Branch (unclassified water body)**

From confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Parameter(s) <u>Category</u> Carryforward

bacteria

0841M 01 Three mile stretch of Kee Branch running upstream 5a No

from confluence with Rush Creek to approx. 300 m

upstream of Polly-Webb Road in Arlington, Tarrant Co.

Sta. ID 10792

SegID: 0841N Kirby Creek (unclassified water body)

From confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in

Arlington, Tarrant Co.

Parameter(s) <u>Category</u> **Carryforward**

bacteria

0841N 01 Entire segment 5b No

February 13, 2013 Page 41 of 129 SegID: 0841R Rush Creek (unclassified water body)

From confluence with Village Creek to headwater area just east of Calender Road in Arlington, Tarrant Co.

Parameter(s) **Category Carryforward**

bacteria

0841R 01 Entire segment. 5a No

SegID: 0841S Vilbig Lakes (unclassified water body)

Lake formed in former sand and gravel mine located north of Hunter Ferrell Road, west of MacArthur Blvd,

and south of Shady Grove Road in Irving, Dallas, Co.

<u>Category</u> Parameter(s) **Carryforward**

bacteria

0841S_01 A 5 acre area in NW corner of Vilbig Lakes, near 5c No

> confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas,

SegID: 0841T Village Creek (unclassified water body)

From confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

Parameter(s) <u>Category</u> **Carryforward**

bacteria

0841T 01 A 7 mile stretch of Village Creek running upstream 5a No

from confluence with West Fork Trinity River to SH

303 approx. 0.75 mi. downstream of Lake Arlington.

SegID: 0841U West Irving Creek (unclassified water body)

From approx. 0.4 mi. downstream of Oakdale Rd. to headwater area in Wyche Park (NHD RC

12030102044201) in Irving, Dallas Co.

Parameter(s) Carryforward **Category**

bacteria

0841U 01 A 4 mile stretch of West Irving Branch running 5a No

upstream from approx. 0.4 mi. downstream of Oakdale

Rd. to just south of Sowers Road in Irving, Dallas Co.

SegID: 0841V **Crockett Branch (unclassified water body)**

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek

to the upper end of the creek (NHD RC 12030102044745)

Parameter(s) Carryforward <u>Category</u>

bacteria

0841V_01 Entire Segment. 5c No

February 13, 2013 Page 42 of 129

SegID: 0901	Cedar Bayou Tidal From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria					
0901_01	From the confluence with Galveston Bay 1.0 km (0.6	5c	No		
	miles) downstream of Tri-City Beach Road to a point				
	2.2 km (1.4 miles) upstream of IH 10				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
dioxin in edible	etissue				
0901_01	From the confluence with Galveston Bay 1.0 km (0.6	5a	Yes		
	miles) downstream of Tri-City Beach Road to a point				
	2.2 km (1.4 miles) upstream of IH 10				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edible	tissue				
0901_01	From the confluence with Galveston Bay 1.0 km (0.6	5a	Yes		
	miles) downstream of Tri-City Beach Road to a point				
	2.2 km (1.4 miles) upstream of IH 10				

SegID: 1001	San Jacinto River Tidal From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
dioxin in edib	le tissue				
1001_01	From Lake Houston Dam to US Hwy 90	5a	Yes		
1001_02	From US Hwy 90 to IH 10	5a	Yes		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tissue					
1001_01	From Lake Houston Dam to US Hwy 90	5a	No		

SegID: 1002	Lake Houston From Lake Houston Dam in Harris County to the confluence Arm in Harris/Montgomery County and to the confluence Harris County, up to normal pool elevation of 44.5 feet (ce of Caney Creek on the East I		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1002_06	From the confluence with Spring Creek to West Lake Houston Pkwy	5a	No	

SegID: 1002	D2C Lake Isabell (unclassified water body) Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.				
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in e	edible tissue				
1002C_01	Small lake located at the southern end of Lake Houston	5c	Yes		
	Park northeast of the Caney Creek (1010) and East Fork				
	of the San Jacinto River (1003) confluence in Harris				
	County.				

February 13, 2013 Page 43 of 129

SegID: 1003	East Fork San Jacinto River From the confluence of Caney Creek in Harris County to U	S 190 in Walker County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1003_01	From the Caney Creek confluence upstream to US 59	5a	No	
1003_02	From US Hwy 59 to a point immediately downstream	5a	No	
	of State Hwy 150			
1003_03	From a point immediately downstream of State Hwy	5a	No	
	150 to US 190 (upper segment boundary)			

SegID: 1004	West Fork San Jacinto River From the confluence of Spring Creek in Harris/Montgon	nery County to Conroe Dam in	n Montgomery County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1004_01	From the Spring Creek confluence upstream to the	5a	No	
	Stewart Creek confluence			
1004_02	From the Stewart Creek confluence upstream to the	5a	No	
	Lake Conroe Dam			

SegID: 1004I	Crystal Creek (unclassified water body) From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1004D_01	From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	5a	No	

SegID: 1004l	E Stewarts Creek (unclassified water body) From headwaters northwest of old Montgomery Rd to co	onfluence with West Fork of t	he San Jacinto River	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1004E_02	From Airport Rd to confluence with West Fork San Jacinto River	4a	No	

February 13, 2013 Page 44 of 129

SegID: 100	Houston Ship Channel/San Jacinto River Tidal From the confluence with Galveston Bay at Morgan's (110 yards) downstream of IH 10 in Harris County	Point in Harris/Chambers Cour	nty to a point 100 meters	
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in edi	ible tissue			
1005_01	Downstream I-10 to Lynchburg Ferry Road	5a	Yes	
1005_02	Lynchburg Ferry Road to Goose Island	5a	Yes	
1005_03	Goose Island to SH 146	5a	Yes	
1005_04	SH 146 to Morgans Point	5a	Yes	
Parameter(.	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edil	ble tissue			
1005_01	Downstream I-10 to Lynchburg Ferry Road	5a	Yes	
1005_02	Lynchburg Ferry Road to Goose Island	5a	Yes	
1005_03	Goose Island to SH 146	5a	Yes	
1005_04	SH 146 to Morgans Point	5a	Yes	

February 13, 2013 Page 45 of 129

SegID: 1006	Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris C Bayou in Harris County, including tidal portions of tributar		tely upstream of Greens
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
chlordane in e			
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	Yes
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	Yes
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	Yes
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	Yes
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	Yes
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	Yes
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel	4b	Yes
Parameter(s)	confluence)	<u>Category</u>	<u>Carryforward</u>
dieldrin in edi	alo dissus	<u>Category</u>	<u>Carryjorwara</u>
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	Yes
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	Yes
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	Yes
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	Yes
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	Yes
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	Yes
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	Yes

February 13, 2013 Page 46 of 129

SegID: 100	6 Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris Co Bayou in Harris County, including tidal portions of tributari	*	tely upstream of Greens
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou	5a	Yes
1006_02	confluence to the Patrick Bayou confluence Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto	5a	Yes
1006_03	River Tidal (1005) confluence Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the	5a	Yes
1006_04	Halls Bayou confluence Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of	5a	Yes
1006_05	the railroad bridge Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	Yes
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	Yes
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel	5a	Yes
D	confluence)	Contactori	C f 1
<u>Parameter(s</u>		<u>Category</u>	<u>Carryforward</u>
1006_01	poxide in edible tissue Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	Yes
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	Yes
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	Yes
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	Yes
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	Yes
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	Yes
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	Yes
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in v		_	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes

February 13, 2013 Page 47 of 129

SegID: 1000	From the confluence with the San Jacinto River in Harris Co		tely upstream of Greens	
D	Bayou in Harris County, including tidal portions of tributari		C1	
Parameter(s		<u>Category</u>	<u>Carryforward</u>	
1006 01	Houston Ship Channel Tidal-From the Greens Bayou	5a	Yes	
1000_01	confluence to the Patrick Bayou confluence	Ja	1 68	
1006 02	Houston Ship Channel Tidal- From the Patrick Bayou	5a	Yes	
1000_02	confluence to the Houston Ship Channel/San Jacinto	Ja	1 65	
	River Tidal (1005) confluence			
1006 03	Greens Bayou Tidal- From the Houston Ship Channel	5a	Yes	
1000_03	confluence to a point 0.7 km (0.4 miles) upstream of the	Ja	1 65	
	Halls Bayou confluence			
1006 04	Patrick Bayou Tidal - From the confluence with the	5a	Yes	
1000_04	Houston Ship Channel to 100 m (328 ft) upstream of	Sa	1 03	
	the railroad bridge			
1006 05	Goodyear Creek-From confluence with Greens Bayou	5a	Yes	
1000_00	Tidal to Granada St. in Harris County		140	
1006 06	Tucker Bayou- From the Houston Ship Channel	5a	Yes	
1000_00	confluence to a point 2.7 km (1.7 mi) upstream		140	
1006 07	Carpenters Bayou-From the Houston Ship Channel	5a	Yes	
	confluence to the lower boundary of 1006B (2.3 m/ 1.4			
	mi) upstream from the Houston Ship Channel			
	confluence)			
Parameter(s		<u>Category</u>	Carryforward	
toxicity in se	diment			
1006_04	Patrick Bayou Tidal - From the confluence with the	5c	Yes	
_	Houston Ship Channel to 100 m (328 ft) upstream of			
	the railroad bridge			

SegID: 1006	D Halls Bayou (unclassified water body) From the Greens Bayou confluence upstream to Frick Road	d in Harris County		
Parameter(s)	<u></u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1006D_01	From the Greens Bayou confluence upstream to US 59	4a	No	
1006D_02	From US 59 upstream to Frick Road	5a	No	

SegID: 1006I	a	water body) rou Tidal to Wallisville Road in Harris County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1006F 01	Entire water body	4a	No
	<u> </u>		_

February 13, 2013 Page 48 of 129

SegID: 1006H	Spring Gully Above Tidal (unclassified water body) From confluence with Greens Bayou to US 90 in Harris County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1006H 01 Ent	tire water body	4a	No	

SegID: 1006I	Unnamed Tributary of Halls Ba From the confluence with Halls B	you (unclassified water body) ayou to a point 0.13 miles upstream of Richland Dr	rive in Harris County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1006I_01	Entire water body	4a	No	

SegID: 1006	J Unnamed Tributary of Halls Bayou (unclassified water From the confluence with Halls Bayou (east of US 59 and Harris County	• /	Mount Hoston Road in	
Parameter(s)	<u></u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1006J_01	From the Halls Bayou confluence (east of US 59 and	4a	No	
	south of Langley Road) to Mount Houston Road			

February 13, 2013 Page 49 of 129

confluence to SH 225

SegID: 1	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou upstream of US 59 in Harris County, including tidal p	- ·	neters (110 yards)
Paramet	<u>er(s)</u>	<u>Category</u>	<u>Carryforward</u>
chlordan	e in edible tissue		
1007_01	Houston Ship Channel - From a point immediately	4b	Yes

1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately	4b	Yes	
1007_02	upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	Yes	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	Yes	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	Yes	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	Yes	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	Yes	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	Yes	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	Yes	
Parameter(<u>(z)</u>	<u>Category</u>	<u>Carryforward</u>	
dieldrin in e	dible tissue			
	dible tissue Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	Yes	
dieldrin in e	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately	4b 4b	Yes	
dieldrin in e 1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel			
dieldrin in e 1007_01 1007_02	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream Hunting Bayou Tidal - From the Houston Ship Channel	4b	Yes	
dieldrin in e 1007_01 1007_02 1007_03	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10 Brays Bayou Tidal - From the Houston Ship Channel	4b 4b	Yes Yes	
dieldrin in e 1007_01 1007_02 1007_03 1007_04	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45 Vince Bayou Tidal - From the Houston Ship Channel	4b 4b 4b	Yes Yes Yes	
dieldrin in e 1007_01 1007_02 1007_03 1007_04 1007_05	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the	4b 4b 4b 4b	Yes Yes Yes	

February 13, 2013 Page 50 of 129

confluence to SH 225

Sims Bayou confluence

confluence to SH 225

Street WWTP outfall to US 59

Berry Bayou - From the Houston Ship Channel

confluence to a point 2.4 km (1.5 mi) upstream of the

Buffalo Bayou - From immediately upstream of 69th

Little Vince Bayou Tidal - From the Vince Bayou

1007_06

1007_07

1007_08

SegID:	1007 Houston Ship Channel/Buffalo Bayou Tidal			
Segib.	From a point immediately upstream of Greens Bayou in	Harris County to a point 100	meters (110 yards)	
	upstream of US 59 in Harris County, including tidal port		ineters (110 yards)	
	1 2 2		G C 1	
<u>Paramet</u>		<u>Category</u>	<u>Carryforward</u>	
	edible tissue	_		
1007_01	Houston Ship Channel - From a point immediately	5a	Yes	
	upstream of Greens Bayou Tidal to immediately			
	upstream of the 69th Street WWTP outfall	_		
1007_02	Sims Bayou Tidal - From the Houston Ship Channel	5a	Yes	
	confluence to a point 11 km (6.8 mi) upstream	_		
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel	5a	Yes	
400= 04	confluence to IH-10	_		
1007_04	Brays Bayou Tidal - From the Houston Ship Channel	5a	Yes	
	confluence to downstream of IH-45	_		
1007_05	Vince Bayou Tidal - From the Houston Ship Channel	5a	Yes	
400= 00	confluence to SH 225	_		
1007_06	Berry Bayou - From the Houston Ship Channel	5a	Yes	
	confluence to a point 2.4 km (1.5 mi) upstream of the			
400= 0=	Sims Bayou confluence	_		
1007_07	Buffalo Bayou - From immediately upstream of 69th	5a	Yes	
400= 00	Street WWTP outfall to US 59	_		
1007_08	Little Vince Bayou Tidal - From the Vince Bayou	5a	Yes	
	confluence to SH 225			
<u>Paramet</u>	<u>ter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
_	or epoxide in edible tissue			
1007_01	Houston Ship Channel - From a point immediately	4b	Yes	
	upstream of Greens Bayou Tidal to immediately			
	upstream of the 69th Street WWTP outfall			
1007_02	Sims Bayou Tidal - From the Houston Ship Channel	4b	Yes	
	confluence to a point 11 km (6.8 mi) upstream			
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel	4b	Yes	
	confluence to IH-10			
1007_04	Brays Bayou Tidal - From the Houston Ship Channel	4b	Yes	
	confluence to downstream of IH-45			
1007_05	Vince Bayou Tidal - From the Houston Ship Channel	4b	Yes	

4b

4b

4b

Yes

Yes

Yes

February 13, 2013 Page 51 of 129

SegID: 1007	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Haupstream of US 59 in Harris County, including tidal portion		meters (110 yards)	
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	ole tissue			
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	Yes	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	Yes	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	Yes	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	Yes	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	Yes	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	Yes	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	Yes	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	Yes	
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
toxicity in se 1007_05	diment Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	Yes	

SegID: 1007A	Canal C-147 Tributary of Sims Bayou Above Tidal (un From the Sims Bayou confluence upstream to a point 0.71	• /	ay 8 in Harris County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007A_01	From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8	5a	No	

SegID: 1007	7B Brays Bayou Above Tidal (unclassified water body) From a point 11.5 km (7.1 mi) upstream of confluence w	rith Houston Ship Channel up	to SH 6	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007B_01	From a point 11.5 km (7.1 mi) upstream of confluence	4a	No	
	with Houston Ship Channel up to SH 6			
1007B_02	From State Highway 6 upstream to Clodine Road	4a	No	

February 13, 2013 Page 52 of 129

SegID: 10070	Keegans Bayou Above Tidal (unclassified water body) From the Brays Bayou confluence upstream to Harris County line	,		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007C_01	From the Brays Bayou confluence to the Harris County Line	4a	No	

SegID: 1007	D Sims Bayou Above Tidal (unclassified water body) Perennial stream from 11.0 km upstream of confluence wit Drive	h Houston Ship Channel uj	ostream to Hiram Clark	
Parameter(s,	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007D_01	From Fort Bend Parkway to Hiram Clarke	4a	No	
1007D_02	From Hiram Clarke to 11 miles upstream of the confluence with the Houston Ship Channel	4a	No	
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35	4a	No	

SegID: 1007E	Willow Waterhole Bayou Above Tidal (unclassified From the Brays Bayou confluence upstream to South	• /		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007E_01	From the Brays Bayou confluence upstream to South Garden Street	4a	No	

SegID: 1007	F Berry Bayou Above Tidal (unclassified water body) From a point 2.4 km (1.5 mi) upstream of the Sims Bayo Houston	u confluence to the southern of	city limits of South	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007F_01	From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	4a	No	

SegID: 10076	G Kuhlman Gully Above Tidal (unclassified water body) From Brays Bayou confluence to Atchison, Topeka and S	anta Fe Railroad tracks in H	arris County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007G_01	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	4a	No	

February 13, 2013 Page 53 of 129

SegID: 1007	H Pine Gully Above Tidal (unclassified water body) From the Sims Bayou confluence to 0.11 km (0.07 mi)) east of Broadway Street in Harris County
Parameter(s)	1	<u>Category</u> <u>Carryforward</u>
bacteria		
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	4a No
Parameter(s)		<u>Category</u> <u>Carryforward</u>
depressed dis	solved oxygen	
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5c No

SegID: 1	Plum Creek Above Tidal (unclassified water body) From the Sims Bayou confluence to Telephone Road in Hai	rris County		
<u>Paramete</u>	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007I_01	From the Sims Bayou confluence to Telephone Road in	4a	No	
	Harris County			
Paramete	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed	dissolved oxygen			
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	5c	No	

SegID: 1007	K Country Club Bayou Above Tidal (unclassified water From just downstream of South Lockwood Drive to the miles upstream of North Wayside Drive in Harris Cou	ne confluence with Brays Bayou to approximately 0.5
<u>Parameter(s)</u>		<u>Category</u> <u>Carryforward</u>
bacteria		
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	4a No
Parameter(s)		<u>Category</u> <u>Carryforward</u>
depressed dis	solved oxygen	
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	5c No

SegID: 1007	7L Unnamed Tributary of Brays Bayou (unclassified water From the Brays Bayou confluence near Fondren Road to a	• /	stream in Harris County
Parameter(s	<u>*)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1007L_01	From the Brays Bayou confluence near Fondren Road	4a	No
	to a point (0.37 km) 0.60 miles upstream in Harris		
	County		

February 13, 2013 Page 54 of 129

SegID: 1007M	Unnamed Tributary of Hunting Bayou (unclassific From the confluence with Hunting Bayou to Mercur			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria 1007M_01	Entire water body	4a	No	

SegID: 1007N	Unnamed Tributary of Sims Bayou (unclassified water From the confluence with Sims Bayou, south of Airport R	• /	County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007N_01 	Entire water body	4a	No	

SegID: 1007O	Unnamed Tributary of Buffalo Bayou (unclassified wate From the confluence with Buffalo Bayou to IH-10 between	* /	d in Harris County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1007O_01 E	intire water body	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dissolv	ved oxygen		
1007O_01 E	ntire water body	5c	No

SegID: 10071	Hunting Bayou Above Tidal (unclassified water body) From the confluence with Hunting Bayou Tidal at IH-10 to Matthe south fork	aury Street on the north	a fork and Bain Street on
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1007R_01	From Bain Street to Sayers Street (South Fork)	4a	No
1007R_02	From just east of Elysian Street to Falls Street (North	4a	No
	Fork)		
1007R_03	From Falls Street to Loop 610 East	4a	No
1007R_04	From Loop 610 East to IH 10	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1007R_01	From Bain Street to Sayers Street (South Fork)	5c	No
1007R_04	From Loop 610 East to IH 10	5c	No

SegID: 1007	Poor Farm Ditch (unclassified water body) From the Brays Bayou confluence upstream 3.6 km (2.3 mi)	to the Bissonnet Road br	idge crossing	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007S_01	From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	5a	No	

February 13, 2013 Page 55 of 129

SegID: 1007	Bintliff Ditch (unclassified water body) From the Brays Bayou confluence upstream 5.8 km (3.6 m	i) to the Fondren Road brid	ge crossing	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007T_01	From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	5a	No	

SegID: 1007U	Mimosa Ditch (unclassified water body) From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock brid	dge crossing	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1007U_01	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	5a	No	

SegID: 1007V	Unnamed Tributary of Hunting Bayou (unclassified water body) From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007V_01	From the Hunting Bayou confluence to 1.7 km (1.1 mi)	5a	No	
	upstream of the confluence (0.3 km west of			
	Collingsworth Street			

SegID: 1008	Spring Creek From the confluence with the West Fork San Jacinto I crossing of FM 1736 in Waller County	River in Harris/Montgomery Cou	nty to the most upstream		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
1008_02	Field Store Road to SH 249	4a	No		
1008_03	SH 249 to IH 45	4a	No		
1008_04	IH 45 to confluence with Lake Houston	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	depressed dissolved oxygen				
1008_02	Field Store Road to SH 249	5c	No		

SegID: 1008	Upper Panther Branch (unclassified water body) From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road				
Parameter(s	·2	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1008B_01	From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence	5a	No		
1008B_02	From a point a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands	5a	No		

February 13, 2013 Page 56 of 129

SegID: 1008	1008C Lower Panther Branch (unclassified water body) From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1008C_01	From Spring Creek confluence upstream to Saw Dust	5a	No	
	Road			
1008C_02	From Saw Dust Road to the Lake Woodlands Dam	5a	No	

SegID: 1008	E Bear Branch (unclassified water body) From the Upper Panther Branch confluence to south of FM	1488 in Montgomery Cour	nty	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1008E_01	From Upper Panther Branch confluence to south of FM 1488	5a	No	

SegID: 1008	Willow Creek (unclassified water body) From the Spring Creek confluence to a point 0.48 km (0.3)	mi) north of Juergen Rd		
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1008H_01	From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	4a	No	

SegID: 100	Cypress Creek From the confluence with Spring Creek in Harris County in Waller County	o the confluence of Snake	Creek and Mound Creek
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1009_01	Upper portion of segment to downstream of US 290	4a	No
1009_02	US 290 to SH 249	4a	No
1009_03	SH 249 to IH 45	4a	No
1009_04	IH 45 to confluence with Spring Creek	4a	No

SegID: 100	Faulkey Gully (unclassified water body) From the Cypress Creek confluence to a point 11.7 km (7.	2 mi) upstream		
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1009C_01	From the Cypress Creek confluence to a point 11.7 km	4a	No	
	(7.2 mi) upstream			

February 13, 2013 Page 57 of 129

SegID: 1009D	Spring Gully (unclassified water body) Perennial stream from a point 1 km downstream of Louetta	a Road upstream to Spring (Cypress Road	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
_	Perennial stream from a point 1 km downstream of Louetta Road upstream to Spring Cypress Road	4a	No	

SegID: 1009	E Little Cypress Creek (unclassified water body) From the Cypress Creek confluence to a point 11 km (6.8)	3 mi) upstream in Harris Cour	nty	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1009E_01	From the Cypress Creek confluence to a point 11 km	4a	No	
	(6.8 mi) upstream			

SegID: 101	O Caney Creek From the confluence with the East Fork San Jacinto F	River in Harris County to SH 150	in Walker County	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1010_02	From FM 1097 to SH 105	4a	No	
1010_04	From FM 2090 to lower segment boundary	4a	No	

SegID: 101	Peach Creek From the confluence with Caney Creek in Montgomer	y County to SH 150 in Walker	County	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1011_01	Upper segment boundary to US Hwy 59	5a	No	
1011_02	US Hwy 59 to confluence with Caney Creek	4a	No	

SegID: 1013	Buffalo Bayou Tidal From a point 100 meters (110 yards) upstream of US 59 upstream of Shepherd Drive in Harris County	in Harris County to a point 40	00 meters (440 yards)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1013_01	From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	4a	No	

February 13, 2013 Page 58 of 129

SegID:	1013A	Little White Oak Bayou (unclassified water body) From the White Oak Bayou confluence to Yale Street in	Harris County		
<u>Parame</u>	ter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria					
1013A_0		rom the confluence of White Oak Bayou upstream to ne RR Tracks north of IH 610	4a	No	
Parame	ter(s)		<u>Category</u>	<u>Carryforward</u>	
depresse	d dissolv	red oxygen			
1013A_0		rom the confluence of White Oak Bayou upstream to ne RR Tracks north of IH 610	5c	No	

SegID: 1013C	Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unc Located approximately 1.8 miles upstream of the Buffalo Bayo and Memorial Drive west of IH-45 in Harris County	• /	nfluence between IH-10
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1013C_01	Entire Segment	4a	No

SegID: 1014	Buffalo Bayou Above Tidal From a point 400 meters (440 yards) upstream of Sheph	herd Drive in Harris County to SH	6 in Harris County	1
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1014_01	From a point immediately upstream of Shepherd Drive	4a	No	
	upstream to SH 6			

SegID: 1014A	Bear Creek (unclassified water body) Perennial stream from the confluence with South Mayo tributary 1.24 km north of Longenbaugh Road	le Creek upstream to the conflue	ence with an unnamed
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	4a	No

SegID: 1014B	Buffalo Bayou/Barker Reservoir (unclassified water be Perennial stream from SH 6 in Harris County upstream to Fort Bend County	• /	Fork Buffalo Bayou in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	4a	No	

February 13, 2013 Page 59 of 129

SegID: 1014C	Horsepen Creek (unclassified water body) From the Langham Creek confluence upstream to a point 0.1	km (0.06 mi) west of B	arker Cypress Road	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	4a	No	

SegID: 1014	Langham Creek (unclassified water body) From the Dinner Creek confluence upstream to FM 529			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	-
bacteria 1014E_01	From the Bear Creek confluence upstream to the Dinner Creek confluence	4a	No	

SegID: 1014I	H South Mayde Creek (unclassified water body) From the Buffalo Bayou confluence upstream to an unna	amed tributary 1.05 km (0.65 r	ni) south of Clay Road	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1014H_01	From the Buffalo Bayou confluence upstream to the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road	4a	No	
1014H_02	From the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road	4a	No	

SegID: 1014	K Turkey Creek (unclassified water body) From the South Mayde Creek confluence upstream to a po Harris County	oint 1.1 km (0.68 mi) directly	y east of FM 529 in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1014K_01	From the South Mayde Creek confluence upstream to	4a	No	
	0.17 km (0.1 mi) south of Clay Road			
1014K_02	From 0.17 km (0.1 mi) south of Clay Road upstream to	4a	No	
	FM 529 1.1 km (0.68 mi) directly east of N. Eldridge			
	Pkwy			

SegID: 1014I	Mason Creek (unclassified water body) From the Buffalo Bayou confluence upstream to Mason Ro Drive	ad upstream to 0.32 km (0	0.2 mi) east of Katyland
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1014L_01	From the Buffalo Bayou confluence upstream to Mason Road	4a	No

February 13, 2013 Page 60 of 129

SegID: 1014	M Newman Branch (Neimans Bayou) (unclassified water From the Buffalo Bayou Above Tidal confluence to 0.1 County		in Harris
<u>Parameter(s)</u>		<u>Category</u> <u>Carryfo</u>	<u>rward</u>
bacteria			
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	4a N	0
Parameter(s)		<u>Category</u> <u>Carryfo</u>	rward_
depressed dis	solved oxygen		
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b N	0
Parameter(s)		<u>Category</u> <u>Carryfo</u>	<u>rward</u>
impaired fish	community		
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5c N	0
Parameter(s)		<u>Category</u> <u>Carryfo</u>	<u>rward</u>
impaired mac	robenthic community		
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5c N	0

SegID: 1014	N Rummel Creek (unclassified water body) From the Buffalo Bayou Above Tidal confluence to 1.2 km	(0.75 mi) upstream of IH-	10 in Harris County	
Parameter(s)	<u>-</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1014N_01	From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	4a	No	

SegID: 1014O	Spring Branch (unclassified water body) From Buffalo Bayou Above Tidal confluence to 1.4 km (County	0.87 mi) upstream of Long Poi	nt Road in Harris
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1014O_01	Entire water body	4a	No

SegID: 1016	Greens Bayou Above Tidal From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County			
Parameter(s)	<u></u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1016_01	Upper segment boundary (FM 1960) to IH 45	4a	No	
1016_02	IH 45 to US 59	4a	No	
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4a	No	

February 13, 2013 Page 61 of 129

SegID: 1016	A Garners Bayou (unclassified water body) Perennial stream from the confluence with Williams Gully upstream to 1.5 km north Atoscocita Road				
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	_	
bacteria					
1016A_02	From the confluence with Williams Gully upstream to	4a	No		
	1.5 km north of Atascocita Road				
1016A_03	From the confluence with Greens Bayou to confluence	4a	No		
	with Williams Gully				

SegID: 1016B	Unnamed Tributary of Greens Bayou (unclassified water bo From confluence with Greens Bayou to Hirsch Road in Harris			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1016B_01	Entire water body	4a	No	

SegID: 1016C	Unnamed Tributary of Greens Bayou (unclassified From the confluence with Greens Bayou, east of Aldi County	• /	oll Road in Harris
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1016C 01	Entire water body	4a	No

SegID: 1016D	Unnamed Tributary of Greens Bayou (unclassified water body) From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 1016D_01 E	Entire water body	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolv 1016D_01 E	z ed oxygen Entire water body	5c	No		

SegID: 1017	Whiteoak Bayou Above Tidal From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria					
1017_01	Huffmeister Rd to the confluence with Vogel Creek	4a	No		
1017_02	Vogel Creek to the Cole Creek confluence	4a	No		
1017_03	Cole Creek confluence to the Brickhouse Gully confluence	4a	No		
1017_04	Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary)	4a	No		

February 13, 2013 Page 62 of 129

SegID: 1017A	Brickhouse Gully/Bayou (unclassified water body) Perennial stream from the confluence with Whiteoak Bayo	u up to Gessner Road	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1017A_01	Entire water body	4a	No

SegID: 1017	Cole Creek (unclassified water body) Perennial stream from the confluence with White Oak B	sayou up to south of Beltway 8		
<u>Parameter(s</u>	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1017B_02	From Flintlock Street to confluence with White Oak Bayou	4a	No	

SegID: 10170	C Vogel Creek (unclassified water body) From the White Oak Bayou Above Tidal confluence to a Bayou confluence to just south of State Hwy 249 in Harr	. , ,	am of the White Oak	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1017C 01	From the White Oak Bayou confluence to a point 3.2	5a	No	
101/6_01	km (2.0 mi) upstream	Ja	140	

SegID: 1017D	Unnamed Tributary of Whiteoak Bayou (unclassified water body) From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 1017D_01 En	entire water body	4a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolv	ed oxygen				
1017D_01 E	ntire water body	5c	No		

SegID: 1017F	Unnamed Tributary of White Oak Bayou (unclassified From the confluence with White Oak, near W 11th Stree W in Harris County	• /	treet, south of Loop 610
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1017E_01	Entire water body	4a	No

SegID: 1017F	Rolling Fork Creek (unclassified water body) From the White Oak Bayou Above Tidal confluence to a po	pint 3.9 km (2.4 mi) upstrea	m	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1017F_01	From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	5a	No	

February 13, 2013 Page 63 of 129

SegID: 1101	Clear Creek Tidal From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County				
<u>Parameter(s</u>	2	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1101_02	Chigger Creek confluence to IH 45	4a	No		
1101_03	IH 45 to Cow Bayou confluence	4a	No		
1101_04	Cow Bayou confluence to confluence with Clear Lake	4a	No		
Parameter(s	2	<u>Category</u>	Carryforward		
dioxin in edible tissue					
1101_01	Upper segment boundary to Chigger Creek confluence	5a	Yes		
1101_02	Chigger Creek confluence to IH 45	5a	Yes		
1101_03	IH 45 to Cow Bayou confluence	5a	Yes		
1101_04	Cow Bayou confluence to confluence with Clear Lake	5a	Yes		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
PCBs in edib	le tissue				
1101_01	Upper segment boundary to Chigger Creek confluence	5a	Yes		
1101_02	Chigger Creek confluence to IH 45	5a	Yes		
1101_03	IH 45 to Cow Bayou confluence	5a	Yes		
1101_04	Cow Bayou confluence to confluence with Clear Lake	5a	Yes		

SegID: 1101	A Magnolia Creek (unclassified water body) From the Clear Creek Tidal confluence upstream to 0.8 kr unnamed tributary	m (0.5 mi) upstream of the co	onfluence with the second	
Parameter(s)	_	<u>Category</u>	<u>Carryforward</u>	
bacteria 1101A_01	From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	5a	No	

SegID: 1101E	Chigger Creek (unclassified water body) From the confluence with Clear Creek Tidal to the Brazos R County	iver Authority Canal near	CR 143 in Galveston	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1101B_01	From the headwaters to FM 528	4a	No	

SegID: 11010	Cow Bayou (unclassified water body) From the Clear Creek Tidal confluence to SH 3 in Galveston	ı County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1101C_01	From the Clear Creek Tidal confluence to SH3	5a	No	

February 13, 2013 Page 64 of 129

SegID: 1101	D Robinson Bayou (unclassified water body) From confluence with Clear Creek 0.33 mile upstream of	Webster Street in Galveston	County	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1101D_01	From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street	4a	No	

SegID: 1102	Clear Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 528 Bend County	in Galveston/Harris County	to Rouen Road in Fort	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1102_02	SH 288 to Hickory Slough confluence	4a	No	
1102_03	Hickory Slough confluence to Turkey Creek confluence	4a	No	
1102_04	Turkey Creek confluence to Mary's Creek confluence	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edibl	e tissue			
1102_01	Upper segment boundary (Rouen Road) to SH 288	5a	Yes	
1102_02	SH 288 to Hickory Slough confluence	5a	Yes	
1102_03	Hickory Slough confluence to Turkey Creek confluence	5a	Yes	
1102_04	Turkey Creek confluence to Mary's Creek confluence	5a	Yes	
1102_05	Mary's Creek confluence to lower segment boundary	5a	Yes	

SegID: 1102	A Cowart Creek (unclassified water body) From the Clear Creek Above Tidal confluence in Galve	veston County to SH 35 in Braze	oria County	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1102A_01	Sunset Drive to SH 35	4a	No	
1102A_02	Confluence with Clear Creek to Sunset Drive	4a	No	

SegID: 1102E	Mary's Creek/ North Fork Mary's Creek (unclassified was Perennial stream from the confl. With Clear Creek to conflapprox. 5 km SW Pearland. Includes perennial portion of approx. 3.2 km upstrm of FM 1128	1. With N. and S. Fork Mary'		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1102B_01	From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	4a	No	

SegID: 11020	C Hickory Slough (unclassified water body) From the Clear Creek Above Tidal confluence to a point	0.69 km (0.43 mi) upstream	of Mykawa Road	
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1102C_01	From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	4a	No	

February 13, 2013 Page 65 of 129

SegID: 1102	Turkey Creek (unclassified water body) From the Clear Creek Above Tidal confluence to a point 0	0.98 km (0.61 mi) upstream o	of Scarsdale Blvd	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1102D_01	From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	4a	Yes	

SegID: 1102	From the Mary's Creek confluence 1.3 km (0.84 mi) west of the confluence of an unnamed tributary	• /	cm (0.75 mi) upstream to
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria			
1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	5a	No

February 13, 2013 Page 66 of 129

SegID: 1103	Dickinson Bayou Tidal From the Dickinson Bay confluence 2.1 km (1.3 miles) downst 4.0 km (2.5 miles) downstream of FM 517 in Galveston Count		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria		_	
1103_01	From the Dickinson Bay confluence (downstream of	5a	No
	State Hwy 146) upstream to the Gum Bayou confluence		
1103_03	From the Benson Bayou confluence upstream to the	4a	Yes
1102 04	Bordens Gully confluence From the Bordens Gully confluence unstream to a point	40	No
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	4a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss			
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5b	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5b	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5b	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl		£ -	V
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	Yes
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	Yes
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible			
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	Yes
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	Yes
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	Yes

SegID: 110	3A Bensons Bayou (unclassified water body) From the Dickinson Bayou confluence to point 0.6 km (0.3)	37 mi) upstream of FM 646	in Galveston County	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	4a	No	

February 13, 2013 Page 67 of 129

SegID: 11031	B Bordens Gully (unclassified water body) From the Dickinson Bayou Tidal confluence to a point County	1.4 km (0.87 mi) upstream of	FM 646 in Galveston	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	4a	No	

SegID: 11030	, , , , , , , , , , , , , , , , , , ,	nt 1.37 km (0.85 mi) upstream of FM 646 in Galveston
<u>Parameter(s)</u>		<u>Category</u> <u>Carryforward</u>
bacteria		
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	4a No
Parameter(s)		<u>Category</u> <u>Carryforward</u>
depressed diss	olved oxygen	
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5b No

SegID: 1103I	Gum Bayou (unclassified water body) From the Dickinson Bayou Tidal confluence to State Hwy	96 in Galveston County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1103D_01	From Dickinson Bayou Tidal confluence to State Hwy	5a	No	
	96			

SegID: 11031	E Cedar Creek (unclassified water body) From the Dickinson Bayou Tidal confluence to a poin County	t 0.63 km (0.39 mi) upstream F	M 517 in Galveston	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	5a	No	

SegID: 1104	Dickinson Bayou Above Tidal From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County
Parameter(s)	<u>Category</u> <u>Carryforward</u>
bacteria 1104_02	4b No

February 13, 2013 Page 68 of 129

SegID: 1105	Bastrop Bayou Tidal From the Bastrop Bay confluence 1.1 km (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to Old Clute Road at Lake Jackson in Brazoria County					
Parameter(s	<u>v)</u>	<u>Category</u>	<u>Carryforward</u>			
bacteria						
1105_01	From the Bastrop Bay confluence 1.1 km (0.7 mi)	5c	No			
	downstream of the Intracoastal Waterway to Old Clute					
	Road at Lake Jackson					

SegID: 11	Flores Bayou (unclassified water body) From a point 2.6 km (1.6 mi) downstream of County Road	171 upstream to SH 35 in	Brazoria County	
Parameter	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1105A_01	From a point 2.6 km (1.6 mi) downstream of County	5c	No	
	Road 171 upstream to SH 35			

SegID: 1105E	Brushy Bayou (unclassified water body) From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
bacteria 1105E_01 E	ntire water body	5c	No			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
depressed dissolv	depressed dissolved oxygen					
1105E_01 E	ntire water body	5c	No			

SegID:	1107 Chocolate Bayou Tidal From the Chocolate Bay confluence 1.4 km (0.9 mile downstream of SH 35 in Brazoria County	es) downstream of FM 2004 to a point 4.2 km (2.6 miles)
<u>Parame</u>	<u>eter(s)</u>	<u>Category</u> <u>Carryforward</u>
bacteria	1	
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5c No
Parame	eter(s)	<u>Category</u> <u>Carryforward</u>
dioxin in	n edible tissue	
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a Yes
Parame	<u>eter(s)</u>	<u>Category</u> <u>Carryforward</u>
PCBs in	edible tissue	
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a Yes

February 13, 2013 Page 69 of 129

SegID: 1109	Oyster Creek Tidal From the Intercoastal Waterway confluence to a point 100 County) meters (110 yards) upstrear	m of FM 2004 in Brazoria
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1109_01	From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004	5c	No

SegID: 1110	Oyster Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County				
Parameter(s	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria 1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	5c	No		
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed di	ssolved oxygen				
1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	5b	No		
1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to the Brazos River Diversion Dam	5b	No		

February 13, 2013 Page 70 of 129

SegID: 1113	Armand Bayou Tidal From the Clear Lake confluence (at NASA Road 1 bridge)			
	downstream of Genoa-Red Bluff Road in Pasadena in Harr	ris County (includes Mud L	ake/Pasadena Lake)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No	
7	Slough confidence		C C 1	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss		51	37	
1113_02	From the Horsepen Bayou confluence to the Big Island	5b	Yes	
1112 02	Slough confluence	51	37	
1113_03	From the Big Island Slough confluence upstream to a	5b	Yes	
	point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff			
	Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edibl				
1113_01	From the Clear Lake confluence at Nasa Road 1 to the	5a	Yes	
	Horsepen Bayou confluence			
1113_02	From the Horsepen Bayou confluence to the Big Island	5a	Yes	
	Slough confluence			
1113_03	From the Big Island Slough confluence upstream to a	5a	Yes	
	point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff			
	Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible	tissue			
1113_01	From the Clear Lake confluence at Nasa Road 1 to the	5a	Yes	
	Horsepen Bayou confluence			
1113_02	From the Horsepen Bayou confluence to the Big Island	5a	Yes	
	Slough confluence			
1113_03	From the Big Island Slough confluence upstream to a	5a	Yes	
	point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff			
	Road			

SegID: 111	3A Armand Bayou Above Tidal (unclassified water body) From the upper segment boundary of Armand Bayou Tida Road), upstream to Beltway 8 in Harris County	al, 0.8 km (0.5 miles) downst	ream of Genoa-Red Bluff	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed di	issolved oxygen			
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	

February 13, 2013 Page 71 of 129

SegID: 1113I	Horsepen Bayou Tidal (unclassified water body) From the Armand Bayou confluence to the SH3			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1113B_01	From the Armand Bayou confluence to the SH3	5c	No	

SegID: 11130	Unnamed Tributary to Horsepen Bayou (unclassified water I From the Horsepen Bayou confluence to Reseda Road	body)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1113C_01	From the Horsepen Bayou confluence to Reseda Drive	5c	No	

SegID: 11131	Willow Springs Bayou (unclassified water body) From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	5c	No		

SegID: 111	3E Big Island Slough (unclassified water body) From the Armand Bayou confluence upstream to a point	2.4 km (1.5 mi) north of Spe	nser Hwy	
Parameter(.	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1113E_01	From the Armand Bayou confluence upstream to a	5c	No	
	point 2.4 km (1.5 mi) north of Spencer Hwy			

SegID: 1202H	Allen's Creek (unclassified water body) From the confluence with the Brazos River, two miles nor IH 10 in Austin County.	theast of Wallis, to the headw	vaters one mile north of
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1202H_01	Entire water body	5b	No

SegID: 1202	K Mill Creek (unclassified water body) From confluence of East and West Mill Creeks downstream to confluence with Brazos River			
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1202K_01	Portion of Mill Creek from confluence with Brazos	5c	No	
	River upstream to confluence with East/West Forks			
	Mill Creek in Austin County.			

February 13, 2013 Page 72 of 129

SegID: 1204A	Camp Creek (unclassified water body) From its confluence with the Brazos River downstream of Lake north of US Hwy 67 in Johnson County.	Granbury, upstream to	o its headwaters, 0.9 miles
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1204A_01 er	ntire water body	5b	No

SegID: 1208	Brazos River Above Possum Kingdom Lake From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
1208_01	Portion of segment from confluence with Possum	5b	Yes		
	Kingdom Reservoir headwaters upstream to confluence				
	with Spring Branch in Young County.				
1208_02	Portion of segment from confluence with Spring Branch	5b	Yes		
	upstream to confluence with Fish Creek				
1208_04	From confluence with Boggy Creek upstream to	5b	Yes		
	confluence with Millers Creek				
1208_05	From confluence with Millers Creek upstream to	5b	No		
	confluence with Lake Creek				

SegID: 120	9 Navasota River Below Lake Limestone From the confluence with the Brazos River in Grimes Co	ounty to Sterling C. Robertson Da	am in Leon/Robertson	
Parameter(.	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1209_03	Portion of Navasota River from confluence with Sandy	5b	No	
	Branch upstream to confluence with Shepherd Branch			
	in Madison County.			
1209_05	Portion of Navasota River from confluence with Camp	5b	No	
	Creek upstream to Lake Limestone Dam in Robertson			
	County.			

SegID: 1209A	Country Club Lake (unclassified water body) From the Country Club Branch Dam up to normal pool elevation	n in Bryan in Brazos (County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
toxicity in sedimer 1209A_01 En	nt tire reservoir	5c	Yes	

SegID: 1209	B Fin Feather Lake (unclassified water body) From Fin Feather Dam up to normal pool elevation in	northwest Bryan in Brazos Count	у	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
toxicity in sed	liment			
1209B_01	Entire reservoir	5c	Yes	

February 13, 2013 Page 73 of 129

SegID: 1209C	Carters Creek (unclassified water body) Perennial stream from the confluence with the Navasota Rive upstream to the confluence of an unnamed tributary 0.5 km u	Č	•	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1209C_01	Entire water body	5a	No	

SegID: 1209E	Country Club Branch (unclassified water body) From the confluence with Country Club Lake in Bryan in Bra Bryan	zos County to the dam a	t Fin Feather Lake in
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1209D_01	Entire water body	5a	Yes

SegID: 1209F	Wickson Creek (unclassified water body) Perennial stream from the confluence with an unnamed first orc Reliance Road crossing) upstream to the confluence with an un meters upstream of Dilly Shaw Road		*
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1209E_01	Entire water body	5b	No

SegID: 1209G	Cedar Creek (unclassified water body) From the confluence with the Navasota River in Brazos Cou Rocky Branch in Robertson County	anty to the confluence with	Moores Branch and
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1209G_01	Entire water body	5b	No

SegID: 1209	PH Duck Creek (unclassified water body) From the confluence with the Navasota river in Robertson C County	County to Twin Oak Reser	voir dam in Robertson	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5b	No	
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	5b	No	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dis	ssolved oxygen			
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5c	No	
1209Н_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	5c	No	

February 13, 2013 Page 74 of 129

SegID: 1	Gibbons Creek (unclassified water body) From confluence with Navasota River in C		ty	
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1209I_01	Portion of Gibbons Creek from confluence with	. 5b	No	
	Navasota River upstream to confluence with Dr	y Creek		
	in Grimes County.			

SegID: 1209J	Shepherd Creek (unclassified water body) From the confluence with the Navasota River in Madison Cou Madison County	unty to a point 0.7 miles	upstream of FM 1452 in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1209J_01	Entire water body	5b	Yes

SegID: 1209	K Steele Creek (unclassified water body) From confluence with Navasota River in Robertson Co Limestone County	ounty to a point 2.4 miles upstrea	am of FM 147 in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1209K_02	Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	5b	Yes	

SegID: 1209	L Burton Creek (unclassified water body) From the confluence with Carters Creek in College Static Fin Feather Lake in Brazos County.	on, upstream to its headwaters	located 0.4 miles east of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1209L_01	From confluence with Carters Creek in College Station upstream to un-named tributary, 0.5 km downstream of E. 29th Street.	5a	No	

SegID: 1210A	Navasota River above Lake Mexia (unclassified water From the confluence with the headwaters of Lake Mexia SH 31 in Hill County	• /	t 1.25 miles upstream of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1210A_01	Entire water body	5b	Yes	

February 13, 2013 Page 75 of 129

SegID: 1211.	A Davidson Creek (unclassified water body) Intermittent stream with perennial pools from the cor Caldwell in Burleson County	nfluence with Yegua Creek to 0.2	2 km above SH 21 near	
Parameter(s)	_	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
1211A_02 	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5b	Yes	

SegID: 1212	Somerville Lake From Somerville Dam in Burleson/Washington County u Yegua Creek)	p to normal pool elevation of	238 feet (impounds	
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
pН				
1212_01	Eastern end of reservoir near dam	5c	No	
1212_03	Middle of reservoir near Birch Creek State Park	5c	No	
1212_04	Western end of reservoir near upper segment boundary	5c	Yes	

SegID: 1212	,,,,,,,, ,,	eks in Lee County to the Lee County/Williamson County
Parameter(s	<u>)</u>	<u>Category</u> <u>Carryforward</u>
bacteria 1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	5b No

SegID: 1212	egID: 1212B East Yegua Creek (unclassified water body) From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County			
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1212B_01	Portion of East Yegua Creek from confluence with	5b	No	
	Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.			

February 13, 2013 Page 76 of 129

SegID: 1213	Little River From the confluence with the Brazos River in Milam County Lampasas River in Bell County	y to the confluence of the	Leon River and the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving	5c	No	
1213_04	water From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	5c	No	

SegID: 1213	A Big Elm Creek (unclassified water body) From the confluence with Little River in Milam county, 4.5 its headwaters in McLennan County, 0.7 km west of Moody	•	of Cameron , upstream to	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1213A_01	Portion of Big Elm Creek from the confluence with the	5c	No	
	Little River upstream to confluence with Little Elm			
	Creek.			

SegID: 1214	San Gabriel River From the confluence with the Little River in Milam Cour	nty to Granger Lake Dam in Wi	lliamson County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5b	No	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate				
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5b	No	
1214_02 	From confluence with Alligator Creek upstream to Lake Granger	5b	No	

SegID: 1216A	Trimmier Creek (unclassified water body) From confluence with Stillhouse Hollow Lake upstream to its	headwaters, southwest of	of Killeen in Bell County.
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1216A_01	entire water body	5b	No

February 13, 2013 Page 77 of 129

SegID: 1217B Sulphur Creek (unclassified water body)

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of

Donalson Creek and Espy Branch west of Lampasas in Lampasas County

Parameter(s) <u>Category</u> <u>Carryforward</u>

depressed dissolved oxygen

1217B 02 Portion of Sulphur Creek from the confluence with 5c Yes

Burleson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in

Lampasas County

SegID: 1217D North Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in

Burnet County

Parameter(s) <u>Category Carryforward</u>

depressed dissolved oxygen

1217D 01 Entire water body 5b Yes

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most

upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>

bacteria

1218 02 Portion of South Nolan Creek from confluence with 5b No

North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.

SegID: 1218C Little Nolan Creek (unclassified water body)

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell

County.

Parameter(s) <u>Category Carryforward</u>

bacteria

1218C_01 Entire water body 5b No

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream

perennial portion of the stream north of Goldthwaite in Mills County

Parameter(s) <u>Category</u> <u>Carryforward</u>

bacteria

1220A_03 Upstream portion of water body 5b No

February 13, 2013 Page 78 of 129

SegID: 1221 Leon River Below Proctor Lake From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.	5b	No
1221_03	From confluence with Stillhouse Creek, upstream to confluence with Plum Creek	5b	No
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek	5b	No
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	5b	No
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek	5b	No

SegID: 1221 Parameter(s)	From the confluence of the Leon River east of Gustine of the stream north of Gustine in Comanche County	in Comanche County to the up: Category	stream perennial portion Carryforward	
bacteria	•	<u>caregory</u>	<u>Carryjorwara</u>	
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	5b	No	
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	5b	Yes	

SegID: 1221B	South Leon River (unclassified water body) From the confluence of the Leon River south of Gustine in Confidence of the stream south of Comanche in Comanche County	manche County to the u	pstream perennial portion
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1221B_01	Entire water body	5b	No

February 13, 2013 Page 79 of 129

SegID: 1221	D Indian Creek (unclassified water body) Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek				
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1221D_01	From confluence with Leon River, upstream to	5b	No		
	confluence with Armstrong Creek				
1221D_02	From confluence with Armstrong Creek upstream to	5b	No		
	headwaters of water body				

SegID: 1221F	Walnut Creek (unclassified water body) From its confluence with Leon River upstream to its head	waters 2.4 miles west of Dubli	in in Erath County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria 1221F_01	entire water body	5b	No	

SegID: 1222A	Duncan Creek (unclassified water body) From the confluence of Proctor Lake northeast of Comanche in Comportion of the stream west of Comanche in Comanche County	Comanche County to	the upstream perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1222A_01	Entire creek	5b	No

SegID: 1222B	Rush-Copperas Creek (unclassified water body) From the confluence of Proctor Lake northeast of Comanche in portion of the stream northwest of Comanche in Comanche Co	•	the upstream perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1222B_01	Entire water body	5b	No

SegID: 1222	C Sabana River (unclassified water body) From the confluence of Proctor Lake northeast of Coman portion of the stream northwest of Rising Star in Eastland	•	the upstream perennial	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1222C_01	Portion of Sabana River from confluence with Lake	5c	No	
	Belton in Comanche County upstream to confluence			
	with Elm Creek in Eastland County.			

SegID: 1222E	Sweetwater Creek (unclassified water body) From its confluence with Copperas Creek, upstream to its he Comanche County	adwaters, 6.3 miles west	of Comanche in	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1222E_01	entire water body	5b	No	

February 13, 2013 Page 80 of 129

SegID: 1223	Leon River Below Leon Reservoir From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 1223_01	Entire Segment	5b	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss 1223_01	olved oxygen Entire Segment	5c	Yes		

SegID: 1223A	Armstrong Creek (unclassified water body) From its confluence with the Leon River downstream of Leon I County 6.2 miles east of State Hwy 16.	Reservoir, upstream to it	s headwaters in Erath
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria		_	
1223A_01 e	entire water body	5b	No

SegID: 1226	North Bosque River From a point 100 meters (110 yards) upstream of FM 185 i the confluence of Indian Creek in Erath County	in McLennan County to a p	point immediately above	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
excessive alga	l growth			
1226_02	Portion of North Bosque River from confluence with	4a	Yes	ı
	Neils Creek upstream to confluence with Meridian			
	Creek in Bosque County.			
1226_03	Portion of North Bosque River from confluence with	4a	Yes	
	Meridian Creek upstream to confluence with Duffau			
	Creek in Bosque County.			
1226_04	Portion of North Bosque River from confluence with	4a	Yes	
	Duffau Creek in Bosque County upstream to a point			
	immediately upstream of Indian Creek confluence (end			
	of segment) in Erath County.			

SegID: 1226B	Green Creek (unclassified water body) From the confluence of the North Bosque River south of Clairett 10km west of Stephenville in Erath County	e in Erath County upstr	ream to its headwaters		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed dissolved	depressed dissolved oxygen				
1226B_01 Ent	tire water body	5b	Yes		
	·				

SegID: 1226E	E Indian Creek (unclassified water body) From the confluence with the North Bosque River in Erath County to Stephenville in Erath County	o the headwaters 3.5	5 miles east of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1226E_01	Entire water body	5b	No

February 13, 2013 Page 81 of 129

SegID: 1226F	Sims Creek (unclassified water body) From the confluence with the North Bosque River in Erath Stephenville in Erath County	County to the headwaters 6	miles southeast of	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1226F_01	Entire water body	5b	No	

SegID: 1226H	Alarm Creek (unclassified water body) From its confluence with the North Bosque River, upstream Erath County	to its headwaters 3 miles w	est of Stephenville in
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1226H_01	entire water body	5b	No

SegID: 1226K	Little Duffau Creek (unclassified water body) From its confluence with Duffau Creek, upstream to its head County	dwaters 2.4 miles south wes	t of US 67 in Erath
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1226K_01	entire water body	5b	No

SegID: 1226M	Little Green Creek (unclassified water body) From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.
Parameter(s)	<u>Category</u> <u>Carryforward</u>
bacteria 1226M_01 e	entire water body 5b No

SegID: 1227	Nolan River From a point immediately upstream of the confluence of Johnson County	of Rock Creek in Hill County to Cle	eburne Dam in	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
sulfate				
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No	
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved	solids			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No	
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No	

February 13, 2013 Page 82 of 129

SegID: 1232	1232A California Creek (unclassified water body) From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
bacteria						
1232A_01	Portion of California Creek from confluence with Paint	5b	Yes			
	Creek in Haskell County upstream to confluence with					
	Thompson Creek in Jones County.					

SegID: 1232I	B Deadman Creek (unclassified water body) From the confluence of the Clear Fork Brazos River sou of Hamby in Jones County	th of Lueders in Jones County	to the headwaters north	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1232B_01	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	5b	No	

SegID: 1240	White River Lake From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
chloride 1240_01	Entire segment	5b	No			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
total dissolved	solids					
1240_01	Entire segment	5b	No			

SegID: 1241	Double Mountain Fork Brazos River From the confluence with the Salt Fork Brazos River in Ston Double Mountain Fork Brazos River in Kent County	ewall County to the confl	luence of the North Fork
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1241_01	25 miles near Hwy 83	5b	Yes

SegID: 1241A	North Fork Double Mountain Fork Brazos River (unclassified water body) Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
1241A_02	Upstream portion, from confluence with Lake Buffalo	5c	Yes		
	Springs upstream to confluence with Yellow House				
	Draw				

February 13, 2013 Page 83 of 129

SegID: 1241B	Lake Alan Henry (unclassified water body) Impounded Double Mountain Fork Brazos Rive, 20.0 miles south	ı east of Post in Garz	a and Kent Counties.			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>			
mercury in edible (mercury in edible tissue					
1241B_01 ent	ire water body	5c	No			

SegID: 1242	Cottonwood Branch (unclassified water body) Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary				
<u>Parameter(s</u>	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1242B_01	Portion of Cottonwood Branch from confluence with	5b	No		
	Still Creek upstream to unnamed tributary (NHD RC				
	12070101000835) in Brazos County.				
1242B_02	Portion of Cottonwood Branch from confluence with	5b	Yes		
	unnamed tributary (NHD RC 12070101000835)				
	upstream to headwaters in Brazos County.				

SegID: 1242	Still Creek (unclassified water body) Perennial stream from the confluence with Thompson's G Branch	Creek upstream to the conflue	nce with Cottonwood	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1242C_01	Portion of Still Creek from confluence with Thompsons	5b	No	
	Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).			
1242C_02	Portion of Still Creek from confluence with unnamed	5b	Yes	
	tributary (NHD RC 12070101006127) upstream to			
_	headwaters in Brazos County.			

SegID: 12421	Thompsons Creek (unclassified water body) From the confluence with the Brazos River upstream to he	eadwaters in Brazos County.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria					
1242D_01	Portions of Thompsons Creek from confluence with	5b	No		
	Brazos River upstream to confluence with Still Creek in				
	Brazos County.				
1242D_02	Portion of Thompsons Creek from confluence with Still	5b	Yes		
	Creek upstream to headwaters in Brazos County.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
depressed diss	depressed dissolved oxygen				
1242D_02	Portion of Thompsons Creek from confluence with Still	5c	Yes		
	Creek upstream to headwaters in Brazos County.				

February 13, 2013 Page 84 of 129

SegID: 1242I	Pond Creek (unclassified water body) Perennial stream from the confluence with the Brazos R Oak Creek in Falls County	iver in Milam County up to the	confluence with Live	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	5b	No	

SegID: 1242I	Campbells Creek (unclassified water body) From the confluence with the Little Brazos River u Antonio Road	apstream to the headwaters, one mile	west of Old San	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1242I_01	Entire water body	5b	No	

SegID: 1242J	Deer Creek (unclassified water body) From the confluence with the Brazos River upstream to the Deer Creek in Falls County	confluence of West Fork De	eer Creek and East Fork
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1242J_01	Entire water body	5b	No

SegID: 1242K	Mud Creek (unclassified water body) From confluence with the Little Brazos River, upstream to the Den Branch, in Robertson County	ne confluence with Touchs	stone Branch and Wolf
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1242K_01	Entire water body	5b	No

SegID: 1242I	Pin Oak Creek (unclassified water body) From the confluence with the Little Brazos River in Resouth of Franklin	obertson County upstream to the	headwaters, 2.07 miles	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1242L_01	Entire water body	5b	No	

SegID: 1242M	Spring Creek (unclassified water body) From the confluence with the Little Brazos River in Robertson County north of FM 391	, upstream to the ho	eadwaters, 1.5 miles
Parameter(s)	<u>(</u>	<u>Category</u>	<u>Carryforward</u>
bacteria 1242M_01 F	Entire water body	5b	No

February 13, 2013 Page 85 of 129

SegID: 1242O	Walnut Creek (unclassified water body) From the confluence with the Little Brazos River in Robertso south of White Rock	n County, upstream to th	e headwaters, one mile
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1242O_01 1	Entire water body	5b	No

SegID: 1242P	Big Creek (unclassified water body) From the confluence with Little Brazos River in Falls Counear Mart in the northeast corner of Falls County	nty upstream to the confluen	nce with unnamed creeks
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1242P_01	Downstream portion of water body	5b	No

SegID: 1244	Brushy Creek From the confluence with the San Gabriel River in Milam Williamson County	County to the confluence of	f South Brushy Creek in	
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1244_03	From confluence with Cottonwood Branch upstream to	5b	No	
	City of Round Rock WWTP outfall			
1244_04	From immediately upstream of City of Round Rock	5b	No	
	WWTP outfall upstream to end of segment			

SegID: 1245	Upper Oyster Creek From Steep Bank Creek/Brazos River confluence in Fort Ber confluence at Brazos River in Fort Bend County (includes po Jones Creek)	7 1 1 0	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1245_01	From the confluence with the Brazos River upstream to	4a	No
	Dam #3		
1245_02	From Dam #3 upstream to Harmon St. crossing in	4a	No
	Sugar Land		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1245_02	From Dam #3 upstream to Harmon St. crossing in	4a	No
	Sugar Land		
1245_03	From Harmon St. crossing in Sugar Land upstream to	4a	No
	the end of the segment		

SegID: 1245C	• •	ody) Creek in Fort Colony, upstream to its headwater	rs in Pecan Grove in Fort
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1245C_01	Entire water body	5b	Yes

February 13, 2013 Page 86 of 129

SegID: 1245D	Unnamed Tributary of Bullhead Bayou (unclassified water Tributary to Bullhead Bayou in Fort Bend County	· body)		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1245D_01	Entire water body	5b	Yes	

SegID: 1245F	Alcorn Bayou (unclassified water body) From the confluence with Steep Bank Creek upstream to Bend county	its headwaters 0.5km east of P	ecan Grove in Fort
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1245F 01	Entire water body	5b	Yes
12431_01	Entire water body	30	1 05

SegID: 1245I	Steep Bank Creek (unclassified water body) From confluence with Oyster Creek (Flat Bank Creek port US 59 in city of First Colony, Fort Bend County.	ion) upstream to end of wate	er body, 0.2 km east of
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1245I_01	Entire water body	5b	No

SegID: 1246I	Wasp Creek (unclassified water body) From the confluence with Tonk Creek in Crawford in McI Coryell County, 0.15 mile east of FM 185	ennan County, upstream to	the headwaters in	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1246E_01	Entire water body	5b	No	

SegID: 1247A	Willis Creek (unclassified water body) From the confluence with the headwaters of Granger Lake in V County	Williamson County to C	R 313 in Williamson
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1247A_01 En	tire water body	5b	No

SegID: 1248C	Mankins Branch (unclassified water body) Perennial stream from the confluence with the San Gabriel River i CR 105 and 104 in Williamson County	n Williamson County	to the intersection of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1248C_01 I	Entire water body	5b	No

February 13, 2013 Page 87 of 129

SegID: 1255	Upper North Bosque River					
3	From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North					
	Fork and South Fork of the Bosque River in Erath County					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
bacteria						
1255_01	Portion of Upper North Bosque River from confluence	5b	No			
	with Indian Creek upstream to confluence with Dry					
	Branch in Erath County.					
1255_02	Portion of Upper North Bosque River from confluence	5b	No			
	with Dry Branch upstream to confluence with					
	North/South Forks North Bosque River in Erath					
	County.					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
depressed diss						
1255_02	Portion of Upper North Bosque River from confluence	5c	Yes			
	with Dry Branch upstream to confluence with					
	North/South Forks North Bosque River in Erath					
	County.					
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
excessive algal	9					
1255_01	Portion of Upper North Bosque River from confluence	4a	Yes			
	with Indian Creek upstream to confluence with Dry					
	Branch in Erath County.					
1255_02	Portion of Upper North Bosque River from confluence	4a	Yes			
	with Dry Branch upstream to confluence with					
	North/South Forks North Bosque River in Erath					
	County.					

SegID: 1255A	Goose Branch (unclassified water body) From the confluence with the south fork of the North Bosq upstream to the headwaters 0.5 miles (0.8 km) north of FM	· · · · · · · · · · · · · · · · · · ·	west of Stephenville,
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1255A_01	Entire water body	5b	No

SegID: 1255B	North Fork Upper North Bosque River (unclassified water From the confluence with the South Fork of the Upper North headwaters, 2.0 miles north of FM 219		eville, upstream to the
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1255B_01	Entire water body	5b	No

SegID: 1255C	Scarborough Creek (unclassified water body) From the confluence with the North Fork of the upper North Bomiles (0.2 km) southeast of FM 219 in Erath County	osque River, upstream t	to the headwaters 0.1
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1255C_01	Entire water body	5b	No

February 13, 2013 Page 88 of 129

SegID: 1255D	South Fork North Bosque River (unclassified water b From the confluence with the North Fork of the upper N headwaters 3 miles (4.8 km) north of FM 219 in Erath C	North Bosque River in Stephen	ville, upstream to the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1255D_01	Entire water body	5b	No	

SegID: 1255E	Unnamed Tributary of Goose Branch (unclassified water From the confluence with Goose Branch in Erath County to intersection of FM 8 and Farm Road 1219	• /	southeast of the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1255E_01	Entire water body	5b	Yes	

SegID: 1255F	Unnamed Tributary of Scarborough Creek (unclassified w From the confluence with Scarborough Creek, 1.0 mile west of headwaters, 0.3 mile north of FM 219	• /	ty, upstream to the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1255F_01	Entire water body	5b	No	

SegID: 1255G	Woodhollow Branch (unclassified water body) From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County
Parameter(s)	<u>Category</u> <u>Carryforward</u>
bacteria 1255G_01 En	tire water body 5b Yes

SegID: 1255I	Dry Branch (unclassified water body) From its confluence with the Upper North Bosque River, upser Erath County	tream to its headwaters 2.	3 miles east of SH 106 in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1255I_01	entire water body	5b	No

SegID: 1301	San Bernard River Tidal From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County
Parameter(s)	<u>Category</u> <u>Carryforward</u>
bacteria 1301_01	Entire Segment 5c No

February 13, 2013 Page 89 of 129

SegID: 1302	San Bernard River Above Tidal From a point 3.2 km (2.0 miles) upstream of SH 35 in Bra Ulm in Austin County	zoria County to the county r	road southeast of New	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1302_01	From the confluence with the Intracoastal Waterway in	5b	No	
	Brazoria County to confluence with Peach Creek			
1302_02	From the confluence with Peach Creek to the unnamed	5b	Yes	
	tributary at NHD RC 12090401001535 at N-96.03,			
	W29.51			
1302_03	From the confluence with unnamed tributary at NHD	5b	No	
	RC 12090401001535 at N-96.03, W29.51 to the			
	confluence with Coushatta Creek			

SegID: 1302A	Gum Tree Branch (unclassified water body) From the confluence with West Bernard Creek near Wharton upstream near RR 102	CR 252 to the headwater	rs approximately 15 miles
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1302A_01	Entire Water Body	5b	Yes

SegID: 1302I	West Bernard Creek (unclassified water body) From the confluence with the San Bernard River Above approximately 40 miles upstream near FM 1093	Tidal downstream of US highw	vay 59 to the headwaters
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1302B_02	From the confluence with Clarks Branch to the upper end of segment	5b	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed diss	olved oxygen		
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5c	No

SegID: 1304	Caney Creek Tidal From the confluence with the Intracoastal Waterway in upstream of the confluence of Linville Bayou in Matagorean confluence conf	· · · · ·	1.9 km (1.2 miles)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 1304_01	From the downstream end of segment to the confluence with Dead Slough	5c	No	
	With Doug Stough			

SegID: 1304A	A Linnville Bayou (unclassified water body) Intermittent stream with perennial pools from a point Matagorda County up to a point 0.1 km above SH 35		Caney Creek in	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1304A_01	Entire Water Body	5b	No	

February 13, 2013 Page 90 of 129

SegID: 1	Caney Creek Above Tidal From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County				
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	5b	No		
Paramete	<u>er(s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed	dissolved oxygen				
1305_03	From the confluence with Snead Slough to the upper end of segment	5b	No		

SegID: 1401	Colorado River Tidal From the confluence with the Gulf of Mexico in Matagorda Coof the Missouri-Pacific Railroad in Matagorda County	unty to a point 2.1 km ((1.3 miles) downstream
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1401_01	Entire water body	5c	No

SegID: 1	402C	Buckners Creek (unclassified water body) Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County				
Paramet	er(s)		<u>Category</u>	<u>Carryforward</u>		
depressed	l dissolve	d oxygen				
1402C_01	l Per	rennial stream from the confluence with the Colorado	5c	No		
	Riv	ver upstream to the confluence with Chandler Branch				
	1.6	km upstream of FM 154 in Fayette County				

SegID: 1402H	Skull Creek (unclassified water body) From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus
<u>Parameter(s)</u>	<u>Category</u> <u>Carryforward</u>
depressed dissolve	oxygen
1402H_01 Ent	re water body 5b No

SegID: 1403	Lake Austin From Tom Miller Dam in Travis County to Mansfield Dam is 492.8 feet (impounds Colorado River)	n Travis County, up to no	ormal pool elevation of
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed disso	lved oxygen		
1403_03	Quinlan Park upstream to Mansfield Dam	5c	No

February 13, 2013 Page 91 of 129

SegID: 1403	Bull Creek (unclassified water body) From the confluence of Lake Austin in northwest Austin in the stream north of Austin in Travis County	Travis County to the upstro	eam perennial portion of	
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	_
depressed dissolved oxygen				
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery	5c	No	
1403A_05	From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment	5c	No	

SegID: 1403J	Spicewood Tributary to Shoal Creek (unclassified water From the confluence of an unnamed tributary west of the M upstream to the head waters north of Williamsburg Circle in	IoPac Expressway in north	Austin in Travis County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1403J_01	Entire water body	5a	No

SegID: 1403K	Taylor Slough South (unclassified water body) From the confluence of Lake Austin in Travis County to the heat Texas Department of Aging and Disability Services campus in A		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria 1403K_01	Entire water body	5a	No

SegID: 140°	7A Clear Creek (unclassified water body) From the confluence with Inks Lake in Burnet County w of FM 2341 near Potato Hill northwest of Burnet	est of Burnet upstream to a poin	nt 2 miles (3.2 km) we	est
<u>Parameter(s</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
aluminum in	ı water			
1407A_01	From the confluence with Inks Lake upstream to FM	5c	No	
	2341			
Parameter(s	(5)	<u>Category</u>	Carryforward	
pН				
1407A_01	From the confluence with Inks Lake upstream to FM 2341	5c	No	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
sulfate				
1407A_01	From the confluence with Inks Lake upstream to FM	5c	No	
	2341			
Parameter(s	<u>5)</u>	<u>Category</u>	<u>Carryforward</u>	
total dissolve	ed solids			
1407A_01	From the confluence with Inks Lake upstream to FM	5c	No	
	2341			

February 13, 2013 Page 92 of 129

SegID: 1411	E. V. Spence Reservoir From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)					
Parameter(s	<u></u>	<u>Category</u>	<u>Carryforward</u>			
sulfate						
1411_01	Main pool from the dam upstream to the Rough Creek	4a	No			
	arm					
1411_02	From the Rough Creek arm upstream to the confluence	4a	No			
	of Little Silver Creek					
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>			
total dissolve	d solids					
1411_01	Main pool from the dam upstream to the Rough Creek	4a	No			
	arm					
1411_02	From the Rough Creek arm upstream to the confluence	4a	No			
	of Little Silver Creek					

SegID: 1412	Colorado River Below Lake J. B. Thomas From a point immediately upstream of the confluence of Dam in Scurry County	Little Silver Creek in Coke C	ounty to Colorado River	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	5c	Yes	

SegID: 1412	Beals Creek (unclassified water body) From the confluence of the Colorado River south of Colorado Mustang Draw and Sulphur Springs Draw in Howard County		y to the confluence of	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 1412B_03	From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5b	Yes	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
selenium in v	vater			
1412B_03	From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5c	Yes	

SegID: 1413	Lake J. B. Thomas From Colorado River Dam in Scurry County up to normal por River)	ol elevation of 2258 feet	: (impounds Colorado	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride 1413_01	Entire water body	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate 1413_01	Entire water body	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved	solids			
1413_01	Entire water body	5c	No	

February 13, 2013 Page 93 of 129

SegID: 1416	San Saba River From the confluence with the Colorado River in San Saba C and the Middle Valley Prong in Schleicher County	County to the confluence of	f the North Valley Prong
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190	5e	No

SegID: 1416A	Brady Creek (unclassified water body) From the confluence of the San Saba River southwest of San west of Brady in McCulloch County	Saba in San Saba County	to Brady Lake Dam	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dissolve	ed oxygen			
1416A_03 Fro	om FM 714 upstream to Brady Lake dam	5c	No	

SegID: 14	421 Concho River From a point 2 km (1.2 miles) above the confluence of F the North Concho River in Tom Green County and to N Green County		Č
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>
bacteria			
1421_08	North Concho River, from the confluence with the	5c	No
	South Concho River upstream to O.C. Fisher dam		
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>
depressed	dissolved oxygen		
1421_08	North Concho River, from the confluence with the	5c	No
	South Concho River upstream to O.C. Fisher dam		

SegID: 142	6 Colorado River Below E. V. Spence Reservoir From a point 3.7 km (2.3 miles) below the confluence in Coke County	of Mustang Creek in Runnels C	County to Robert Lee Dam
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolv	ed solids		
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No

SegID: 1427A	Slaughter Creek (unclassified water body) Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin
Parameter(s)	<u>Category</u> <u>Carryforward</u>
impaired macro	obenthic community
1427A_01	Entire water body 5b Yes

February 13, 2013 Page 94 of 129

SegID: 1428	B Walnut Creek (unclassified water body) From the confluence of the Colorado River in ea the stream in north Austin in Travis County	st Austin in Travis County to the u	pstream perennial portion of	
Parameter(s,		<u>Category</u>	<u>Carryforward</u>	
bacteria 1428B_05	From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive	5a	No	

SegID: 14280	Gilleland Creek (unclassified water body) Perennial stream and intermittent stream with perennial pools to the spring source (Ward Spring) northwest of Pflugerville,		th the Colorado River up	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1428C_01	From the Colorado River upstream to Taylor Lane	4a	No	

SegID: 1429	Waller Creek (unclassified water body) From the confluence of Town Lake in central Austin in T north Austin in Travis County	ravis County to the upstrean	n portion of the stream in
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1429C_01	From the confluence with Town Lake to East MLK	5a	No
	Blvd.		
1429C_02	From East MLK Blvd. to East 41st Street	5a	No
1429C_03	Upper portion of creek	5a	No
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>
impaired ma	crobenthic community		
1429C_01	From the confluence with Town Lake to East MLK	5c	Yes
	Blvd.		

SegID: 1431	Mid Pecan Bayou From a point immediately upstream of the confluence of Macki immediately upstream of Willis Creek in Brown County	nally Creek in Brown	County to a point	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1431_01	Entire water body	5b	No	

February 13, 2013 Page 95 of 129

SegID: 1501	Tres Palacios Creek Tidal From the confluence with Tres Palacios Bay in Matagorda Confluence of Wilson creek in Matagorda County	County to a point 1.0 km ((0.6 miles) upstream of the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	5b	No	

SegID: 1602	Lavaca River Above Tidal From a point 8.6 km (5.3 miles) downstream of US 59 in Jacoupstream of SH 95 in Lavaca County	kson County to a point 5	.5 km (3.4 miles)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1602_02	From the confluence of Beard Branch upstream to confluence of Campbell Branch in Halletsville.	5c	No	
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed disse	olved oxygen			
1602_01	From confluence of Campbell Branch in Halletsville upstream to end of segment	5b	Yes	

SegID: 1803A	Elm Creek (unclassified water body) From the confluence of Sandies Creek east of Smiley in the stream southwest of Smiley in Gonzales County	Gonzales County to the upstre	eam perennial portion of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
depressed dissolve 1803A_01 En	ed oxygen tire water body	5b	No	

February 13, 2013 Page 96 of 129

SegID: 1803	From the confluence of the Guadalupe River west of Cue	ro in DeWitt County to the up	ostream perennial portion	
	of the stream northwest of Smiley in Gonzales County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	solved oxygen			
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired fish	community			
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired mac	robenthic community			
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	

SegID: 18030	C Peach Creek (unclassified water body) From the confluence of the Guadalupe River southeast of G perennial portion of the stream northeast of Waelder in Gor		nty to the upstream	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1803C_01	Lower 25 miles of water body	5b	No	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in	5b	No	
	Gonzales Co. to confluence with Elm Cr. In Fayette Co.			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	solved oxygen			
1803C_01	Lower 25 miles of water body	5b	Yes	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in	5b	No	ı
	Gonzales Co. to confluence with Elm Cr. In Fayette Co.			ı
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in	5c	No	i
	Gonzales Co. to confluence with Elm Cr. In Fayette Co.			

SegID: 1804A	Geronimo Creek (unclassified water body) From the confluence of the Guadalupe River south of Seguin portion north of Seguin in Guadalupe County	in Guadalupe County to	the upstream perennial
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1804A_01	Entire water body	5c	No

February 13, 2013 Page 97 of 129

SegID: 1805	Canyon Lake From Canyon Dam in Comal County to a point 2.7 km (1.7 Comal County, up to normal pool elevation of 909 feet (imp			
<u>Parameter(s</u>	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
mercury in edible tissue				
1805_01	Cove around Jacob's Creek Park	5c	No	
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park	5c	No	
1805_03	Upper end of segment	5c	No	
1805_04	Lower end of reservoir from dam upstream to Canyon Park	5c	No	

SegID: 1806	Guadalupe River Above Canyon Lake From a point 2.7 km (1.7 miles) downstream of Rebecca North Fork Guadalupe River and the South Fork Guadalu	•	to the confluence of
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1806_06	From RR 394 1 mile downstream.	4a	No
1806_08	From 25 miles upstream of lower end to confluence with Big Joshua Creek.	5c	No

SegID: 1806I	Quinlan Creek (unclassified water body) From the confluence of the Guadalupe River in Kerry the stream north of Kerryille in Kerr County	ville in Kerr County to the upstream	perennial portion of	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 1806D_01	Entire water body	5a	No	

SegID: 1806	E Town Creek (unclassified water body) From the confluence of the Guadalupe River in Kerrville in the stream north of Kerrville in Kerr County	Kerr County to the upstro	eam perennial portion of	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1806E_01	From the confluence with segment 1806 of the	5a	No	
	Guadalupe River in Kerrville, Kerr County Texas up to			
	the upper end of the segment (NHD RC			
	12100201000572)			

SegID: 1810	Plum Creek From the confluence with the San Marcos River in Caldwell	County to FM 2770 in F	lays County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1810_01	Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	4b	No
1810_02	From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	4b	No
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment	4b	No

February 13, 2013 Page 98 of 129

SegID: 1811A	Dry Comal Creek (unclassified water body) From the confluence of the Comal River in New Braunfels in Cof the stream southwest of New Braunfels in Comal County	omal County to the up	ostream perennial portion	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1811A_01	Lower 25 miles of water body	5c	No	

SegID: 1814	Upper San Marcos River From a point 1.0 km (0.6 miles) upstream of the confluence km (0.4 miles) upstream of Loop 82 in San Marcos in Hay		ays County to a point 0.7
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>
total dissolve	d solids		
1814_01	Lower 1.5 miles of segment	5c	No
1814_02	From sub-segment 01 to IH 35 east frontage road	5c	No
1814_03	From IH 35 east frontage road to Spring Lake Dam	5c	No
1814_04	Remainder of segment	5c	No

SegID: 1901	Lower San Antonio River From the confluence with the Guadalupe River in Refugio/V downstream of FM 791 at Mays crossing near Falls City in I	· · ·	600 meters (660 yards)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1901_01	25 miles downstream of the confluence with Manahuilla	4a	No	
	Creek			
1901_02	25 miles upstream of Manahuilla Creek	4a	No	
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi	4a	No	
	downstream of Escondido Cr			
1901_04	9 miles downstream of Escondido Creek	4a	No	
1901_05	From upstream end of segment to Escondido Creek	4a	No	
Parameter(s)	_	<u>Category</u>	Carryforward	
impaired fish community				
1901_02	25 miles upstream of Manahuilla Creek	5c	No	

SegID: 1902	Lower Cibolo Creek From the confluence with the San Antonio River in Karnes downstream of IH 10 in Bexar/Guadalupe County	County to a point 100 me	ters (110 yards)	
Parameter(s	· · · · · · · · · · · · · · · · · · ·	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1902_01	Lower 5 miles of segment	5b	Yes	
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	5b	Yes	
1902_03	From FM 541 to confluence with Clifton Branch	5b	Yes	
Parameter(s,).	<u>Category</u>	<u>Carryforward</u>	
impaired fish	community			
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	5c	No	

February 13, 2013 Page 99 of 129

SegID: 1903	Medina River Below Medina Diversion Lake From the confluence with the San Antonio River in Bexar	County to Medina Diversio	n Dam in Medina County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1903_02	From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	5c	Yes

SegID: 1905	Medina River Above Medina Lake From the confluence of Red Bluff Creek in Bandera Coun and the West Prong Medina River in Bandera County	aty to the confluence of the N	Jorth Prong Medina River	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	_
impaired fish	community			
1905_01	From lower end of segment to RR 470, upstream of	5c	No	
	Bandera			

SegID: 1906	Lower Leon Creek From the confluence with the Medina River in Bexar Cou 16 northwest of San Antonio in Bexar County	unty to a point 100 meters (11	0 yards) upstream of SH
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
depressed dis	solved oxygen		
1906_04	From Hwy 353 (New Laredo Hwy) to two miles	5a	Yes
	upstream		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	le tissue		
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	5a	Yes
1906_04	From Hwy 353 (New Laredo Hwy) to two miles upstream	5a	No
1906_05	From 2 miles upstream of Hwy 353 to Hwy 90	5a	No
1906_06	Remainder of segment	5a	No

SegID: 1908	Upper Cibolo Creek From the Missouri-Pacific Railroad Bridge west of Bracker upstream of the confluence of Champee Springs in Kendall	* *	nt 1.5 km (0.9 miles)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to	5c	Yes	
	upper end of segment			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
1908_01	From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne	5c	No	
1908 02	From approx. 2 mi. upstream of Hwy 87 in Boerne to	5c	No	
	upper end of segment			
1908_03	Lower 43 miles of segment	5c	No	

February 13, 2013 Page 100 of 129

SegID: 1910	Salado Creek From the confluence with the San Antonio River in Bexan in Bexar County	County to Rocking Horse L	ane west of Camp Bullis	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	4a	Yes	
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	Yes	

SegID: 1910A	Walzem Creek (unclassified water body) From the confluence with Salado Creek to approximately 1.	5 miles upstream of Walze	em Road in San Antonio
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1910A_01	Lower 1.5 miles of segment	4a	No

SegID: 1910D	Menger Creek (unclassified water body) From the confluence with segment 1910 to the upper end of th	e water body, NHD RC	12100301000147.
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 1910D_01 E	ntire water body	5c	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dissolv 1910D_01 E	red oxygen ntire water body	5c	No

February 13, 2013 Page 101 of 129

SegID: 1911	Upper San Antonio River From a point 600 meters (660 yards) downstream of FM 79 County to a point 100 meters (110 yards) upstream of Hilde	, ,	*	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picosa Creek.	4a	Yes	
1911_03	From just upstream of the confluence with Picosa Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	4a	Yes	
1911_07	From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	4a	Yes	
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	4a	Yes	
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	4a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired fish o	community			
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	5c	No	

SegID: 1911B	Apache Creek (unclassified water body) From the confluence with San Pedro Creek up to the uppe 12100301001439).	er end of the segment at State	Highway 421 (NHD RC	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
bacteria				
1911B_01	From the confluence with San Pedro Creek up to just	5a	Yes	
	upstream of the confluence with Zarzamora Creek.			_

SegID: 191	Alazan Creek (unclassified water body) From the confluence with Apache Creek up to 0.4 KM (0. 12100301000163) in San Antonio, Bexar County, Texas.	25 Mi.) upstream of St. Clo	ud Road (NHD RC	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1911C_01	From the confluence with Apache Creek up to the	5a	Yes	
	confluence with Martinez Creek.			
1911C_02	From just upstream of the confluence with Martinez	5c	No	
	Creek to the upper end of the segment.			

SegID: 1911	San Pedro Creek (unclassified water body) From the confluence with segment 1911 to the upper end of	of the water body, NHD RC	2 12100301000867	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1911D_01	From the confluence with segment 1911 up to the	5a	Yes	
	confluence with Apache Creek.			
1911D_02	From the confluence with Apache Creek to the upper	5a	Yes	
	end of the segment, NHD RC 12100301000867			

February 13, 2013 Page 102 of 129

SegID: 1911E Sixmile Creek (unclassified water body)

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

Parameter(s) <u>Category Carryforward</u>

bacteria

1911E 01 Entire water body 5c No

SegID: 1911H Picosa Creek (unclassified water body)

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

Parameter(s) Category Carryforward

depressed dissolved oxygen

1911H 01 From the confluence with 1911 up to the confluence 5c No

with Mariana Creek

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific

Railroad bridge west of Bracken in Comal County

Parameter(s) Category Carryforward

depressed dissolved oxygen

1913 02 From the confluence with unnamed tributary 4b No

approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo

Creek Municipal WWTP.

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of

US 77 in Refugio County

Parameter(s) Category Carryforward

bacteria

2001 01 Entire Water Body 5a No

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream

of US 77 in Refugio/San Patricio County

Parameter(s) Category Carryforward

bacteria

2003_01 Entire Water Body 5a No

SegID: 2004A Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway

59.

<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>

bacteria

2004A_01 Entire 20 miles of segment 5b Yes

February 13, 2013 Page 103 of 129

SegID: 210	Nueces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/I Seale Dam in Jim Wells/San Patricio County	H 37 in Nueces/San Patri	cio County to Wesley E.	
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
total dissolved solids				
2102_01	From the downstream end of segment to the confluence with Javelin Creek	5c	No	
2102_02	From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi	5c	No	

SegID: 2103 Lake Corpus Christi From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)					
Parameter(s	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
total dissolve	otal dissolved solids				
2103_01	Mid-lake near dam	5c	No		
2103_02	Area approx. 4 mi. SE of FM 3162 and FM 534	5c	No		
	intersection near western shore				
2103_03	Western arm of lake near Lagarto Creek inlet	5c	No		
2103_04	Upper portion of lake on opposite shore from Hideaway Hill	5c	No		
2103_05	Upper arm of reservoir in more riverine section surrounding FM 534	5c	No		
2103_06	Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	5c	No		

SegID: 2105	Nueces River Above Holland Dam From Holland Dam in LaSalle County to a point 100 meter County	ers (110 yards) upstream of	FM 1025 in Zavala	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	solved oxygen			
2105_02	From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	5c	No	

SegID: 2106	Nueces/Lower Frio River From a point 100 meters (110 yards) upstream of US 59 in Oak County	n Live Oak County to Choke	e Canyon Dam in Live	
Parameter(s)	_	<u>Category</u>	<u>Carryforward</u>	_
total dissolved	d solids			
2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	5b	No	
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5b	No	

February 13, 2013 Page 104 of 129

SegID: 2107	Atascosa River From the confluence with the Frio River in Live Oak Cour River and the North Prong Atascosa River in Atascosa Cou		West Prong Atascosa	
	River and the North Frong Atascosa River in Atascosa Cot	inty		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with	5b	No	
2107_02	Borrego Creek From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	
Parameter(s)		<u>Category</u>	Carryforward	
depressed diss	solved oxygen			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	_
impaired fish	community			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
impaired mac	robenthic community			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes	

SegID: 2108	San Miguel Creek From a point immediately upstream of the confluence confluence of San Francisco Perez Creek and Chacon	Č	n County to the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2108_01	From the downstream end of the segment to the	5b	No	
	confluence of Liveoak Creek			

SegID: 2109	2109 Leona River From the confluence with the Frio River in Frio County to US 83 in Uvalde County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	5b	No	
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	5b	No	
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	5b	No	

February 13, 2013 Page 105 of 129

SegID: 2110	Lower Sabinal River From the confluence with the Frio River in Frio County to upstream of SH 127 in Uvalde County	o Uvalde County to a point 10	0 meters (110 yards)	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
nitrate				
2110_01	Entire Water Body	4a	Yes	

SegID: 2113	Upper Frio River From a point 100 meters (110 yards) upstream of US 90 in U River and the East Frio River in Real County	valde County to the conf	luence of the West Frio
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
impaired fish c	ommunity		
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
impaired macr	obenthic community		
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes

SegID: 2114	Hondo Creek From the confluence with the Frio River in Frio County t	o FM 470 in Bandera County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	5c	No	
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	5c	No	

SegID: 2117	Frio River Above Choke Canyon Reservoir From a point 4.2 km (2.6 miles) downstream of SH 16 upstream of US 90 in Uvalde County	in McMullen County to a point	100 meters (110 yards)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2117_02	From the confluence with Esperanza Creek to the	5c	No	
	confluence with Ruiz Creek			

February 13, 2013 Page 106 of 129

SegID: 2201	Arroyo Colorado Tidal From confluence with Laguna Madre in Cameron/Willac downstream of Cemetery Road south of Port Harlingen in		ters (110 yards)	
Parameter(s)		Category	<u>Carryforward</u>	
bacteria				
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	5c	No	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	No	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
DDE in edible		_		
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss				
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	No	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
mercury in ed				
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible 2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No	

SegID: 2201B	gID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3 (unclassified water body) From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria 2201B_01	Entire Water Body	5b	No

February 13, 2013 Page 107 of 129

SegID: 2202	Arroyo Colorado Above Tidal			
	From a point 100 meters (110 yards) downstream of Cer	metery Road south of Port Ha	rlingen in Cameron	
	County to FM 2062 in Hidalgo County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2202_01	From the downstream end of segment to the confluence	5b	No	
	with Little Creek just upstream of State Loop 499.			
2202_02	From the confluence with Little Creek to the confluence	5b	No	
	with La Feria Main Canal just upstream of Dukes			
2202 03	Highway.	51	N	
2202_03	From the confluence with La Feria Main Canal just	5b	No	
	upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907			
2202 04	From the confluence with La Cruz Resaca to the upper	5b	No	
2202_04	end of segment at FM 2062	30	140	
Parameter(s)	ond of beginnin at 110 2002	<u>Category</u>	Carryforward	
DDE in edible tissue				
2202_01	From the downstream end of segment to the confluence	4a	No	
	with Little Creek just upstream of State Loop 499.			
2202_02	From the confluence with Little Creek to the confluence	4a	No	
_	with La Feria Main Canal just upstream of Dukes			
	Highway.			
2202_03	From the confluence with La Feria Main Canal just	4a	No	
	upstream of Dukes Highway to the confluence with La			
	Cruz Resaca just downstream of FM 907			
2202_04	From the confluence with La Cruz Resaca to the upper	4a	No	
	end of segment at FM 2062			
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in edible tissue				
2202_01	From the downstream end of segment to the confluence	5c	No	
2202 02	with Little Creek just upstream of State Loop 499. From the confluence with Little Creek to the confluence	<i>5</i> .	N.	
2202_02	with La Feria Main Canal just upstream of Dukes	5c	No	
	Highway.			
2202 03	From the confluence with La Feria Main Canal just	5c	No	
2202_03	upstream of Dukes Highway to the confluence with La	30	110	
	Cruz Resaca just downstream of FM 907			
2202 04	From the confluence with La Cruz Resaca to the upper	5c	No	
_	end of segment at FM 2062			
Parameter(s)		<u>Category</u>	Carryforward	
PCBs in edible tissue				
2202_01	From the downstream end of segment to the confluence	5a	No	
	with Little Creek just upstream of State Loop 499.			
2202_02	From the confluence with Little Creek to the confluence	5a	No	
	with La Feria Main Canal just upstream of Dukes			
2202 02	Highway.	_	N.T.	
2202_03	From the confluence with La Feria Main Canal just	5a	No	
	upstream of Dukes Highway to the confluence with La			
2202 04	Cruz Resaca just downstream of FM 907 From the confluence with La Cruz Resaca to the upper	5a	No	
2202_04	end of segment at FM 2062	Sa	INU	
	ond of segment at 1 W 2002			

February 13, 2013 Page 108 of 129

SegID: 2202A	Donna Reservoir (unclassified water body) Off-channel irrigation reservoir pumped from Rio Grande near th	e City of Donna in H	Iidalgo County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tiss		4	N.	
2202A_01 Ent	tire reservoir	4a	No	

SegID: 2203	Petronila Creek Tidal From the confluence of Chiltipin Creek in Kleberg County to a crossing near Laureles Ranch in Kleberg County	point 1 km (0.6 miles)	upstream of private road
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
2203_01	Entire segment	5c	No

SegID: 2204	Petronila Creek Above Tidal From a point 1 km (0.6 miles) upstream of private road of confluence of Agua Dulce and Banquete Creeks in Nuco		in Kleberg County to the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride 2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5	4a	No	
2204_02	km (20.2 mi) upstream From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
sulfate 2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved 2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	

February 13, 2013 Page 109 of 129

SegID: 2302	Rio Grande Below Falcon Reservoir From a point 10.8 km (6.7 miles) downstream of the Interest County	ternational Bridge in Cameron C	County to Falcon Dam in
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
2302_01	From the El Jardin Pump Station upstream to the	5c	No
	Rancho Viejo Floodway		
2302_07	From the Arroyo Los Olmos confluence upstream to the	5c	No
	Falcon Dam		

SegID: 2302.	A Arroyo Los Olmos (unclassified water body) From Rio Grande confluence at Rio Grande City to El Sauz	z in Starr County		
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	5b	Yes	

SegID: 2304	Rio Grande Below Amistad Reservoir From the confluence of the Arroyo Salado (Mexico) in Zapa	ta County to Amistad Da	am in Val Verde County
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
2304_01	From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence	5c	No
2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	5c	No
2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	5c	No
2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	5c	No
2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	5c	No

February 13, 2013 Page 110 of 129

SegID: 2306	Rio Grande Above Amistad Reservoir From a point 1.8 km (1.1 miles) downstream of the confluer	ice of Ramsey Canyon in	Val Verde County to the	
	confluence of the Rio Conchos (Mexico) in Presidio County	• •	var verue County to the	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	Yes	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5e	Yes	
2306_03	From FM 2627 upstream to Boquillas Canyon	5c	Yes	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5c	Yes	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	Yes	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	Yes	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	Yes	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	Yes	
Parameter(s)	Conchos confidence	Category	Carryforward	
sulfate		<u>Cutegory</u>	<u>Carryjorwara</u>	
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5c	No	
2306 03	From FM 2627 upstream to Boquillas Canyon	5c	No	
2306 04	From Boquillas Canyon upstream to Mariscal Canyon	5c	No	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	No	

February 13, 2013 Page 111 of 129

SegID: 2306	Rio Grande Above Amistad Reservoir From a point 1.8 km (1.1 miles) downstream of the confluence confluence of the Rio Conchos (Mexico) in Presidio County	ce of Ramsey Canyon in	Val Verde County to the	
<u>Parameter(s,</u>	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
total dissolve	d solids			
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	Yes	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5c	Yes	
2306_03	From FM 2627 upstream to Boquillas Canyon	5c	Yes	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5c	Yes	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	Yes	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	Yes	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	Yes	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	Yes	

February 13, 2013 Page 112 of 129

SegID: 2307	Rio Grande Below Riverside Diversion Dam From the confluence of the Rio Conchos (Mexico) in Pr County	residio County to Riverside Div		
<u>Parameter(s)</u>	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
chloride				
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5c	No	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5c	No	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolve	d solids			
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5c	No	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5c	No	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	

SegID: 231	Upper Pecos River From a point immediately upstream of the confluence of Bluff Dam in Loving/Reeves County	FIndependence Creek in Crock	cett/Terrell County to Red	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed di	ssolved oxygen			
2311_03	From US Hwy 67 upstream to the Ward Two Irrigation	5c	No	
	Turnout			

SegID: 2314	Rio Grande Above International Dam From International Dam in El Paso County to the New M	Mexico State Line in El Paso C	County	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria 2314_01	From the International Dam upstream to the Anthony Drain confluence	5c	No	

February 13, 2013 Page 113 of 129

SegID: 2411	Sabine Pass From the end of jetties at the Gulf of Mexico to SH 82			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	e tissue			
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	5a	No	

SegID: 2412	Sabine Lake		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	e tissue		
2412_01	Entire segment	5a	No

SegID: 242	1 Upper Galveston Bay			
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in edi	ible tissue			
2421_01	Red Bluff to Five Mile Cut to Houston Point to	5a	Yes	
	Morgans Point			
2421_02	Western portion of the bay	5a	Yes	
2421_03	Eastern portion of the bay	5a	Yes	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	_
PCBs in edil	ble tissue			
2421_01	Red Bluff to Five Mile Cut to Houston Point to	5a	Yes	
	Morgans Point			
2421_02	Western portion of the bay	5a	Yes	
2421_03	Eastern portion of the bay	5a	Yes	

SegID: 2421A	Clear Lake Channel (unclassified water body) From the Lower Galveston Bay confluence to SH 146			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edible t	tissue			
2421A_01 F	From Lower Galveston Bay confluence to SH 146	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible ti	issue			
2421A_01 F	From Lower Galveston Bay confluence to SH 146	5a	Yes	

SegID: 2421OW Upper Galveston Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2421OW_01 Entire western portion of the bay	4a	Yes

February 13, 2013 Page 114 of 129

SegID: 2422	Trinity Bay			
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in edil	ole tissue			
2422_01	Upper half of bay	5a	Yes	
2422_02	Lower half of bay	5a	Yes	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	le tissue			
2422_01	Upper half of bay	5a	Yes	
2422_02	Lower half of bay	5a	Yes	

SegID: 2422	B Double Bayou West Fork (unclassified water body) From the Trinity Bay confluence to Belton Road in Ch	nambers County		
Parameter(s)	<u>.</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria 2422B_01	From the Trinity Bay confluence to Belton Road	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
2422B_01	From the Trinity Bay confluence to Belton Road	5b	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	le tissue			
2422B_01	From the Trinity Bay confluence to Belton Road	5a	Yes	
Parameter(s) PCBs in edibl	•	<u>Category</u>	<u>Carryforward</u>	
2422B_01	From the Trinity Bay confluence to Belton Road	5a	Yes	

SegID: 24221	Double Bayou East Fork (unclassified water body) From the Trinity Bay confluence to a point 2.6 km (1.6 m)	mi) upstream of SH 65				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>			
dioxin in edib	dioxin in edible tissue					
2422D_01	From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	Yes			
Parameter(s)	, aponoani or or or	<u>Category</u>	<u>Carryforward</u>			
PCBs in edibl	PCBs in edible tissue					
2422D_01	From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	Yes			

SegID: 2422OW Trinity Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters) 2422OW_01 Upper portion of the bay	4a	Yes

February 13, 2013 Page 115 of 129

SegID: 242	3 East Bay			
Parameter(s		<u>Category</u>	<u>Carryforward</u>	
dioxin in edi 2423_01 2423_02	Area adjacent to the ICWW (Segment 0702) Remainder of segment	5a 5a	Yes Yes	
Parameter(S	ble tissue	<u>Category</u>	<u>Carryforward</u>	
2423_01 2423_02	Area adjacent to the ICWW (Segment 0702) Remainder of segment	5a 5a	Yes Yes	

SegID: 2	2423A	Oyster Bayou (unclassified water body) From the East Bay confluence to a point 2.2 km (1.4 mi) upst	ream from SH 65 in Chai	mbers County	
<u>Paramete</u>	er(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in o	dioxin in edible tissue				
2423A_01		om the East Bay confluence to a point 2.2 km (1.4 i) upstream from SH 65	5a	Yes	
Paramete	er(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue					
2423A_01		om the East Bay confluence to a point 2.2 km (1.4 i) upstream from SH 65	5a	Yes	

SegID: 24230	OW East Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oyste	er waters)			
2423OW_01	East end of bay adjacent to the ICWW and East Bay	4a	Yes	
	Bayou			

SegID: 2424	4 West Bay			
g				
Parameter(s	3	Catagory	<u>Carryforward</u>	
dioxin in edil		<u>Category</u>	<u>Carryjor wara</u>	
2424_01	Main portion of water body	5a	Yes	
2424_02	Area adjacent to Lower Galveston Island	5a	Yes	
Parameter(s	<u>i)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	ble tissue			
2424_01	Main portion of water body	5a	Yes	
2424_02	Area adjacent to Lower Galveston Island	5a	Yes	

February 13, 2013 Page 116 of 129

SegID: 2424	From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) no	orth of SH 6 between Arc	cadia and Alta Loma in
	Galveston County		
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria	E D I (0.000 / 1.1.1. D - 1	<i>5</i> -	NT.
2424A_02	From Bayou Lane upstream to Lake Road	5c	No
2424A_03	From Lake Road upstream to FM 519	5c	No
2424A_04	From FM 519 upstream to FM 2004	5c	No
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5c	No
Parameter(s)	<u> </u>	<u>Category</u>	<u>Carryforward</u>
depressed dis	ssolved oxygen		
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5b	No
Parameter(s))	<u>Category</u>	<u>Carryforward</u>
dioxin in edib	ole tissue		
2424A_01	From the Jones Bay confluence upstream to Bayou	5a	Yes
	Lane		
2424A_02	From Bayou Lane upstream to Lake Road	5a	Yes
2424A_03	From Lake Road upstream to FM 519	5a	Yes
2424A_04	From FM 519 upstream to FM 2004	5a	Yes
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5a	Yes
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	le tissue		
2424A_01	From the Jones Bay confluence upstream to Bayou	5a	Yes
	Lane		
2424A_02	From Bayou Lane upstream to Lake Road	5a	Yes
2424A_03	From Lake Road upstream to FM 519	5a	Yes
2424A_04	From FM 519 upstream to FM 2004	5a	Yes
2424A 05	From FM 2004 to the headwaters just west of FM 1764	5a	Yes

SegID: 24240	C Marchand Bayou (unclassified water body) From Highland Bayou confluence to 0.72 km (0.45 m	ni) north of IH 45 in Galveston County
Parameter(s)		<u>Category</u> <u>Carryforward</u>
bacteria		
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi)	5a No
	north of IH-45	
Parameter(s)		<u>Category</u> <u>Carryforward</u>
depressed dis	solved oxygen	
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5c No

February 13, 2013 Page 117 of 129

SegID: 2424	Located on the east end of Galveston Island, running parall	lel with the southern termi	nus of IH 45, and joins	
Parameter(s	West Bay near Teichman Point	Catagory	Carryforward	
dioxin in edil		<u>Category</u>	<u>Carryjorwara</u>	
2424D 01	Upper area bordered by SH 342 and 71st Street	5a	Yes	
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	Yes	
2424D_03	Lower area bordered by Walsh Street and Techmann	5a	Yes	
	Point			
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
PCBs in edib	le tissue			
2424D_01	Upper area bordered by SH 342 and 71st Street	5a	Yes	
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	Yes	
2424D_03	Lower area bordered by Walsh Street and Techmann	5a	Yes	
	Point			

SegID: 2424OW West Bay (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters) 2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island	4a	Yes	

SegID: 2425	Clear Lake		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue Entire segment	5a	Yes
<u>Parameter(s)</u> PCBs in edibl		<u>Category</u>	<u>Carryforward</u>
2425_01	Entire segment	5a	Yes

SegID: 2425A	Taylor Lake (unclassified water body) From the Clear Lake confluence to the Taylor Bayou con	ence near Red Bluff Road	in Galveston County			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>			
dioxin in edib	le tissue					
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	Yes			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>			
PCBs in edible	PCBs in edible tissue					
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	Yes			

February 13, 2013 Page 118 of 129

G ID 4125		
SegID: 2425		(0 (7 mi) materials of FM 510 in Calmeter Country
	From Clear Lake confluence with Clear Lake to 1.1 km	n (0.67 m)) upstream of FW 518 in Galveston County
Parameter(s)	<u>)</u>	<u>Category</u> <u>Carryforward</u>
bacteria		
2425B_01	From the Clear Lake confluence upstream to Lawrence	5a No
	Road	
Parameter(s)	<u>)</u>	<u>Category</u> <u>Carryforward</u>
dioxin in edib	ole tissue	
2425B_01	From the Clear Lake confluence upstream to Lawrence	5a Yes
	Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67	5a Yes
	mi) upstream of FM 518	
Parameter(s,	<u>)</u>	<u>Category</u> <u>Carryforward</u>
PCBs in edib	le tissue	
2425B_01	From the Clear Lake confluence upstream to Lawrence	5a Yes
	Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67	5a Yes
	mi) upstream of FM 518	

Taylor Bayou (unclassified water body) From the Taylor Lake confluence to a point 4.6 km (2.8 mi)	upstream of State Hwy 1	46	
	<u>Category</u>	<u>Carryforward</u>	
e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	5a	Yes	
	<u>Category</u>	<u>Carryforward</u>	
From the Taylor Lake confluence to a point 4.6 km (2.8	5a	Yes	
	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146 e tissue	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 1 Category e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 5a mi) upstream of State Hwy 146 Category e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 5a	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146 Category Carryforward e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 5a Yes mi) upstream of State Hwy 146 Category Carryforward e tissue From the Taylor Lake confluence to a point 4.6 km (2.8 5a Yes

SegID: 2426	Tabbs Bay			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	le tissue			
2426_01	Entire segment	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible	e tissue			
2426_01	Entire segment	5a	Yes	

February 13, 2013 Page 119 of 129

SegID: 2426	C Goose Creek Tidal (unclassified water body) From the Tabbs Bay confluence upstream to the East Fork	of Goose Creek confluence			
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
dioxin in edil	ole tissue				
2426C_01	From the Tabbs Bay confluence upstream to the East	5a	Yes		
	Fork of Goose Creek confluence				
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
PCBs in edib	PCBs in edible tissue				
2426C_01	From the Tabbs Bay confluence upstream to the East	5a	Yes		
	Fork of Goose Creek confluence				

SegID: 2427	7 San Jacinto Bay		
Parameter(s	<u>. </u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edil	ble tissue		
2427_01	Entire segment	5a	Yes
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	ole tissue		
2427_01	Entire segment	5a	Yes

SegID: 2428	Black Duck Bay		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible	e tissue		
2428_01	Entire segment	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
2428_01	Entire segment	5a	Yes

SegID: 2429 Scott Bay	
Parameter(s)	<u>Category</u> <u>Carryforward</u>
dioxin in edible tissue	
2429_01 Entire segment	5a Yes
Parameter(s)	<u>Category</u> <u>Carryforward</u>
PCBs in edible tissue	
2429_01 Entire segment	5a Yes

February 13, 2013 Page 120 of 129

SegID: 2430 Burnett Bay		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2430_01 Entire segment	5a	Yes
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2430_01 Entire segment	5a	Yes

SegID: 2430A Crystal Bay (unclassified water body) Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
dioxin in edible tis	ssue			
2430A_01 Er	ntire segment	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
2430A_01 Er	ntire segment	5a	Yes	

SegID: 2431 Moses Lake		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2431_01 Entire segment	5a	Yes
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2431_01 Entire segment	5a	Yes

SegID: 2431.	Moses Bayou (unclassified water body) From Moses Lake confluence to 2.2 km (1.4 mi) upstream	m of SH 3 in Galveston County	y	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	le tissue			
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edibl	e tissue			
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	Yes	

February 13, 2013 Page 121 of 129

SegID: 2432 Chocolate B	ay	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue 2432_01 Entire segment	5a	Yes
<u>Parameter(s)</u> PCBs in edible tissue	<u>Category</u>	<u>Carryforward</u>
2432_01 Entire segment	5a	Yes

SegID: 24320	C Halls Bayou Tidal (unclassified water body) From the Chocolate Bay confluence upstream to a point 3	1.5 km (19.6 mi) upstream		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
2432C_01	From the Chocolate Bay confluence upstream to a point	5c	No	
	31.5 km (19.6 mi) upstream			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edib	le tissue			
2432C_01	From the Chocolate Bay confluence upstream to a point	5a	Yes	
	31.5 km (19.6 mi) upstream			
Parameter(s)		<u>Category</u>	Carryforward	
PCBs in edibl	e tissue			
2432C_01	From the Chocolate Bay confluence upstream to a point	5a	Yes	
	31.5 km (19.6 mi) upstream			

SegID: 2432OW Chocolate Bay (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)			
2432OW_01 Entire segment	4a	Yes	

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters) 2433OW_02 Oyster Lake	5a	Yes

SegID: 2434OW Christmas Bay (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)			
2434OW_01 Area adjacent to West Bay	5a	Yes	

February 13, 2013 Page 122 of 129

SegID: 2435OW Drum Bay (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	_
bacteria (oyster waters)			
2435OW_01 Area adjacent to Christmas Bay	5a	Yes	

SegID: 2436	Barbours Cut		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edibl	e tissue		
2436_01	Entire segment	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible	tissue		
2436_01	Entire segment	5a	Yes

SegID: 2437	Texas City Ship Channel		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2437_01	Entire segment	5a	Yes
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edibl	e tissue		
2437_01	Entire segment	5a	Yes

SegID: 2438	Bayport Channel			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
dioxin in edibl	le tissue			
2438_01	Entire segment	5a	Yes	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
PCBs in edible	e tissue			
2438_01	Entire segment	5a	Yes	

February 13, 2013 Page 123 of 129

SegID: 243	19 Lower Galveston Bay			
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in ed	ible tissue			
2439_01	Area adjacent to the Texas City Ship Channel and	5a	Yes	
	Moses Lake			
2439_02	Main portion of the bay	5a	Yes	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edi	ble tissue			
2439_01	Area adjacent to the Texas City Ship Channel and	5a	Yes	
	Moses Lake			
2439_02	Main portion of the bay	5a	Yes	

SegID: 24390	OW Lower Galveston Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oyste	er waters)			
2439OW_01	Area adjacent to the Texas City Ship Channel and	4a	Yes	
	Moses Lake			_

SegID: 2441OW East Matagorda Bay (Oyster Waters)			
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters) 2441OW_01 Caney Creek arm and western shoreline area	5a	Yes	

SegID: 2442OW Cedar Lakes (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	_
bacteria (oyster waters)			
2442OW_01 Entire segment	5a	Yes	

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)			
2452OW_01 Turtle Bay and Tres Palacios Creek Arm	5a	Yes	

February 13, 2013 Page 124 of 129

SegID: 2453	A Garcitas Creek Tidal (unclassified water body) From the Lavaca Bayou confluence to a point 13.7 km (8.5	mi) upstream of FM 616 i	n Jackson County	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
2453A_01	From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616	5b	Yes	

SegID: 2453C	Arenosa Creek (unclassified water body) From Garcitas Creek confluence upstream to J-2 Ranch Road			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria 2453C_01	From Garcitas Creek confluence upstream to J-2 Ranch Road	5b	Yes	

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen			
2453D_01 Entire segment	5c	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
mercury in edible tissue			
2453D_01 Entire segment	4b	Yes	

SegID: 24530	OW Lavaca Bay/Chocolate Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oysto	er waters)			
2453OW_02	North-northeastern portion of the bay near Point	5a	Yes	
	Comfort			
2453OW_03	Chocolate Bay area	5a	Yes	

SegID: 2454OW Cox Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2454OW_01 North end of bay near Cox Creek	5a	Yes

February 13, 2013 Page 125 of 129

SegID: 2455OW Keller Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters) 2455OW_01 Upper arm	5a	Yes

SegID: 2456 Carancahua Bay	
<u>Parameter(s)</u>	<u>Category</u> <u>Carryforward</u>
bacteria	
2456_02 Upper half of bay	5c No

SegID: 2456A	West Carancahua Creek Tidal (unclassified water body) From the Carancahua Bay confluence to Jackson CR 440, 1 County		of FM 616 in Jackson	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed diss	olved oxygen			
2456A_01	From the Carancahua Bay confluence to Jackson CR	5c	Yes	
	440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson			
	County			

SegID: 2456OW Carancahua Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2456OW_02 Upper portion of bay and shoreline area	5a	No

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters) 2462OW_01 Guadalupe Bay	5a	Yes

SegID: 24720	OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oysto 2472OW_01	er waters) Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	5a	Yes	

February 13, 2013 Page 126 of 129

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
2481CB_03	Cole Park (Beach ID TX259473)	5a	No
2481CB_04	Ropes Park (Beach ID TX821303)	5a	No

SegID: 2482OW Nueces Bay (Oyster Waters)

Parameter(s)	<u>Category</u> <u>Carryforward</u>
zinc in edible tissue	
2482OW_01 Entire segment	4a Yes

SegID: 2483OW Redfish Bay (Oyster Waters)

Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2483OW_01 Entire segment	5a	Yes

SegID: 2485 Oso Bay

Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
2485_02	Middle bay (State Park Road 22 to Holly Road)	5b	No	

SegID: 2485A Oso Creek (unclassified water body)

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nucces County

Corpus Christi in Nueces County

Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
2485A_01	From the Oso Bay confluence in southern Corpus	5a	No
	Christi to a point 4.8 km (3 mi) upstream of SH 44,		
	west of Corpus Christi		

SegID: 2485OW Oso Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2485OW_01 Entire bay	5a	Yes

February 13, 2013 Page 127 of 129

SegID: 2491	Laguna Madre				
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
2491_02	Area adjacent to the Arroyo Colorado confluence	5c	No		
Parameter(s)	<u>)</u>	<u>Category</u>	Carryforward		
depressed dis	depressed dissolved oxygen				
2491_01	Upper portion of bay north of the Arroyo Colorado	5b	No		
	confluence				
2491_02	Area adjacent to the Arroyo Colorado confluence	5b	No		

<u>Category</u>	<u>Carryforward</u>			
bacteria (oyster waters)				
5a	Yes			

SegID: 2492.	San Fernando Creek (unclassified water body) From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County			
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	_
bacteria 2492A_01	From the Cayo Del Grullo confluence to the Lake Alice Dam	5a	No	

SegID: 2494	Brownsville Ship Channel			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
2494_01	From the Laguna Madre confluence upstream to the	5c	No	
	Port of Brownsville			

SegID: 2494A	A Port Isabel Fishing Harbor (unclassified water body) From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
bacteria 2494A_01	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	5c	No		

February 13, 2013 Page 128 of 129

SegID: 2501	Gulf of Mexico From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the Rio Grande				
Parameter(s)	<u> Category</u>	<u>Carryforward</u>		
bacteria					
2501_01	Sabine Pass to Sea Rim Park area	5c	No		
2501_02	Jefferson-Chambers County line area	5c	No		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in edible tissue					
2501_01	Sabine Pass to Sea Rim Park area	5c	Yes		
2501_02	Jefferson-Chambers County line area	5c	Yes		
2501_03	Bolivar Point to San Luis Pass area	5c	Yes		
2501_04	Freeport Area	5c	Yes		
2501_05	Area between Freeport and Port Aransas	5c	Yes		
2501_06	Port Aransas Area	5c	Yes		
2501_07	Area between Port Aransas and Port Mansfield	5c	Yes		
2501_08	Port Mansfield area	5c	Yes		
2501_09	Area between Port Mansfield and Port Isabel	5c	Yes		
2501_10	Port Isabel area	5c	Yes		

February 13, 2013 Page 129 of 129